

Endovascular Repair/Stent for Abdominal Aortic Aneurysm

Maryland Physicians Care considers **Endovascular Repair/Stent for Abdominal Aortic Aneurysm (AAA)** and/or its major branches medically necessary members with aneurysms having morphology suitable to repair when any of the following indications are met:

1. Aneurysmal dilatation > 5 cm and \geq twice the diameter of the non-dilated proximal segment; or
2. Any documented aneurysmal dilatation that has expanded in size by 0.5 cm or more in six months; or
3. Any symptomatic or ruptured aneurysm. The primary symptoms are tenderness on palpation and/or pain that may occur in the back, flank, groin, or abdomen. Other symptoms are related to compression of nearby structures such as veins or ureters; or
4. Any AAA with an aneurysmal iliac component.

NOTE: The above measurements should be obtained by computed tomography (CT) and represent the minor axis on the axial CT or any measurement perpendicular to the line of flow on a 3D reconstruction.

Limitations

1. The endovascular graft must be FDA approved for the treatment of the aneurysm

Background

According to the Society of Interventional Radiology (SIR), the occurrence of AAAs have increased threefold in the past 30 years and now affects as many as 8% of the population over the age of 65. An AAA is caused by an enlarged area in the lower part of the aorta, the major blood vessel that supplies blood from the heart to the rest of the body. An aneurysm larger than 5 centimeters is usually considered for treatment to prevent rupture. Risk factors related to rupture include the size of the AAA diameter, the rate at which it has expanded, the patient age and smoking history. SIR reports that once an AAA has ruptured, the survival chances are low, resulting in death for 80-90% of all ruptured AAAs.

Endovascular Repair/Stent for Abdominal Aortic Aneurysm

Policy Number: MP.103.MPC
 Last Review Date: 02/25/2021
 Effective Date: 04/01/2021

Endovascular aneurysm repair (EVAR) is used as an alternative to open surgery for the repair of ruptured and unruptured AAAs. The repair involves the placement of an endovascular graft within the abdominal aorta to reduce the pressure on the region. The placement is accomplished via a delivery system inserted through the femoral arteries to the aneurysms under fluoroscopic guidance. Once the graft is fixed to the aorta, the delivery system is then removed.

Codes:

CPT Codes / HCPCS Codes / ICD-10 Codes	
Code	Description
34701	Evasc rpr a-ao ndgft
34702	Evasc rpr a-ao ndgft rpt
34703	Evasc rpr a-unilac ndgft
34704	Evasc rpr a-unilac ndgft rpt
34705	Evac rpr a-biiliac ndgft
34706	Evasc rpr a-biiliac rpt
34707	Evasc rpr ilio-iliac ndgft
34708	Evasc rpr ilio-iliac rpt
34709	Plmt xtn prosth evasc rpr
34710	Dlyd plmt xtn prosth 1st vsl
34711	Dlyd plmt xtn prosth ea addl
34712	Tcat dlvr enhncd fixj dev
34713	Perq access & clsr fem art
34714	Opn fem art expos cndt crtj
34715	Opn ax/subcla art expos
34716	Opn ax/subcla art expos cndt
34717	Endovascular repair of iliac artery at the time of aorto-iliac artery endograft placement by deployment of an iliac branched endograft including pre-procedure sizing and device selection, all ipsilateral selective iliac artery catheterization(s), all associated radiological supervision and interpretation, and all endograft extension(s) proximally to the aortic bifurcation and distally in the internal iliac, external iliac, and common femoral artery(ies), and

Endovascular Repair/Stent for Abdominal Aortic Aneurysm

Policy Number: MP.103.MPC

Last Review Date: 02/25/2021

Effective Date: 04/01/2021

	treatment zone angioplasty/stenting, when performed, for rupture or other than rupture (eg, for aneurysm, pseudoaneurysm, dissection, arteriovenous malformation, penetrating ulcer, traumatic disruption), unilateral (List separately in addition to code for primary procedure)
34718	Endovascular repair of iliac artery, not associated with placement of an aorto-iliac artery endograft at the same session, by deployment of an iliac branched endograft, including pre-procedure sizing and device selection, all ipsilateral selective iliac artery catheterization(s), all associated radiological supervision and interpretation, and all endograft extension(s) proximally to the aortic bifurcation and distally in the internal iliac, external iliac, and common femoral artery(ies), and treatment zone angioplasty/stenting, when performed, for other than rupture (eg, for aneurysm, pseudoaneurysm, dissection, arteriovenous malformation, penetrating ulcer), unilateral
34808	Endovascular placement of iliac artery occlusion device
34812	Open femoral artery exposure for delivery of endovascular prosthesis, by groin incision, unilateral
34813	Placement of femoral-femoral prosthetic graft during endovascular aortic aneurysm repair
34820	Open iliac artery exposure for delivery of endovascular prosthesis or iliac occlusion during endovascular therapy, by abdominal or retroperitoneal incision, unilateral
34833	Open iliac exposure with creation of conduit for delivery of aortic or iliac endovascular prosthesis by arm incision, unilateral
34834	Open brachial artery exposure to assist in the deployment of aortic or iliac endovascular prosthesis by arm incision, unilateral
34841	Endovascular repair of visceral aorta (e.g. aneurysm, pseudoaneurysm, dissection, penetrating ulcer, intramural hematoma, or traumatic disruption) by deployment of a fenestrated visceral aortic endograft and all associated radiological supervision and interpretation, including target zone angioplasty, when performed; including one visceral artery endoprosthesis (superior mesenteric, celiac, or renal artery)
34842	Endovascular repair of visceral aorta (e.g. aneurysm, pseudoaneurysm, dissection, penetrating ulcer, intramural hematoma, or traumatic disruption) by deployment of a fenestrated visceral aortic endograft and all associated radiological supervision and interpretation, including target zone angioplasty,

Endovascular Repair/Stent for Abdominal Aortic Aneurysm

Policy Number: MP.103.MPC

Last Review Date: 02/25/2021

Effective Date: 04/01/2021

	when performed; including two visceral artery endoprosthesis (superior mesenteric, celiac, and/or renal artery)
34843	Endovascular repair of visceral aorta (e.g. aneurysm, pseudoaneurysm, dissection, penetrating ulcer, intramural hematoma, or traumatic disruption) by deployment of a fenestrated visceral aortic endograft and all associated radiological supervision and interpretation, including target zone angioplasty, when performed; including three visceral artery endoprosthesis (superior mesenteric, celiac, and/or renal artery)
34844	Endovascular repair of visceral aorta (e.g. aneurysm, pseudoaneurysm, dissection, penetrating ulcer, intramural hematoma, or traumatic disruption) by deployment of a fenestrated visceral aortic endograft and all associated radiological supervision and interpretation, including target zone angioplasty, when performed; including four or more visceral artery endoprosthesis (superior mesenteric, celiac, and/or renal artery)
34845	Endovascular repair of visceral aorta and infrarenal abdominal aorta (e.g. aneurysm, pseudoaneurysm, dissection, penetrating ulcer, intramural hematoma, or traumatic disruption) with a fenestrated visceral aortic endograft and concomitant unibody or modular infrarenal aortic endograft and all associated radiological supervision and interpretation, including target zone angioplasty, when performed; including one visceral artery endoprosthesis (superior mesenteric, celiac, or renal artery)
34846	Endovascular repair of visceral aorta and infrarenal abdominal aorta (e.g. aneurysm, pseudoaneurysm, dissection, penetrating ulcer, intramural hematoma, or traumatic disruption) with a fenestrated visceral aortic endograft and concomitant unibody or modular infrarenal aortic endograft and all associated radiological supervision and interpretation, including target zone angioplasty, when performed; including two visceral artery endoprosthesis (superior mesenteric, celiac, and/or renal artery)
34847	Endovascular repair of visceral aorta and infrarenal abdominal aorta (e.g. aneurysm, pseudoaneurysm, dissection, penetrating ulcer, intramural hematoma, or traumatic disruption) with a fenestrated visceral aortic endograft and concomitant unibody or modular infrarenal aortic endograft and all associated radiological supervision and interpretation, including target zone angioplasty, when performed; including three visceral artery endoprosthesis (superior mesenteric, celiac, and/or renal artery)

Endovascular Repair/Stent for Abdominal Aortic Aneurysm

Policy Number: MP.103.MPC
Last Review Date: 02/25/2021
Effective Date: 04/01/2021

34848	Endovascular repair of visceral aorta and infrarenal abdominal aorta (e.g. aneurysm, pseudoaneurysm, dissection, penetrating ulcer, intramural hematoma, or traumatic disruption) with a fenestrated visceral aortic endograft and concomitant unibody or modular infrarenal aortic endograft and all associated radiological supervision and interpretation, including target zone angioplasty, when performed; including four or more visceral artery endoprotheses (superior mesenteric, celiac, and/or renal artery)
-------	--

References

1. ACCF/AHA Guideline: 2010 ACCF/AHA/AATS/ACR/ASA/SCA/SCAI/SIR/STS/SVM Guidelines for the Diagnosis and Management of Patients With Thoracic Aortic Disease. March 16, 2010. <http://circ.ahajournals.org/content/121/13/e266.full>.
2. Centers for Medicare and Medicaid Services (CMS). Local Coverage Article No. A53124: Endovascular Repair of Aortic Aneurysms. (Contractor: Novitas Solutions) Revision Effective Date: 01/01/2020. https://www.cms.gov/medicare-coverage-database/details/article-details.aspx?articleId=53124&ver=34&name=331*1&UpdatePeriod=868&bc=AAAEAAAAAAAA&
3. Hayes Medical Technology Directory. Endovascular Repair of Abdominal Aortic Aneurysms. Annual Review Sep 13, 2017. Archived: September 20, 2018
4. National Institute for Health and Clinical Excellence (NICE). Technology Appraisal Guidance No. 167. Endovascular stent-grafts for the treatment of abdominal aortic aneurysms, Issue date: March 19, 2020 <https://www.nice.org.uk/guidance/NG156>
5. Society of Interventional Radiology: Abdominal Aortic Aneurysms-interventional radiologists treat abdominal aneurysms nonsurgically. © 2018. <http://www.sirweb.org/patients/abdominal-aortic-aneurysms/>
6. U.S. Food and Drug Administration (FDA). Premarket Approval (PMA): ANCURE/Aortoiliac Endograft System. Applicant: Guidant Cardiac and Vascular Surgery. PMA No. P990017/S030. Decision Date: April 24, 2002. https://www.accessdata.fda.gov/cdrh_docs/pdf/P990017S030b.pdf
7. U.S. Food and Drug Administration (FDA). Premarket Approval (PMA): AneuRx Stent Graft System. Applicant: Medtronic Vascular. PMA No. P990020. Decision Date: September 28, 1999. Page Last Updates:07/27/2020. <https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfpma/pma.cfm?id=P990020>

Endovascular Repair/Stent for Abdominal Aortic Aneurysm

Policy Number: MP.103.MPC
Last Review Date: 02/25/2021
Effective Date: 04/01/2021

Disclaimer:

Maryland Physicians Care medical payment and prior authorization policies do not constitute medical advice and are not intended to govern or otherwise influence the practice of medicine. The policies constitute only the reimbursement and coverage guidelines of Maryland Physicians Care and its affiliated managed care entities. Coverage for services varies for individual members in accordance with the terms and conditions of applicable Certificates of Coverage, Summary Plan Descriptions, or contracts with governing regulatory agencies.

Maryland Physicians Care reserves the right to review and update the medical payment and prior authorization guidelines in its sole discretion. Notice of such changes, if necessary, shall be provided in accordance with the terms and conditions of provider agreements and any applicable laws or regulations.

These policies are the proprietary information of Maryland Physicians Care. Any sale, copying, or dissemination of said policies is prohibited.