

Policy Number: MP.108.MPC Last Review Date: 08/26/2021 Effective Date: 10/01/2021

MP.108 - Deep Brain and Dorsal Column (Spinal Cord) Neurostimulators Policy

Maryland Physicians Care considers **Deep Brain and Dorsal Column (Spinal Cord) Neurostimulators** medically necessary for the following indications:

A. Deep Brain Neurostimulators (DBS) – ALL of the following

- 1. The device is a Food and Drug Administration (FDA) approved device for DBS, or the device is being used in accordance with FDA approved protocols governing Category B Investigational Device Exemption (IDE) DBS clinical trials.
- 2. Other treatment modalities (pharmacological, surgical, physical, and/or psychological therapies) have been tried and failed or are unsuitable or contraindicated for the member.
- 3. The member has undergone careful screening, evaluation and diagnosis by a multidisciplinary team prior to implantation. Screening must include psychological (only for Parkinson's disease to rule out behavioral health diagnosis), and physical evaluations. (Note: Refer to Limitation section)
- 4. Willingness and ability to cooperate during conscious operative procedure, as well as during post-surgical evaluations, adjustments of medications, and stimulator settings.
- 5. All the facilities, equipment, and professional and support personnel required for the proper diagnosis, treatment training, and follow up of the member are available.

Specific Coverage Criteria

Thalamic Ventralis Intermedius Nucleus (VIM) DBS, Unilateral or Bilateral is considered medically necessary:

- 1. For the treatment of:
 - Essential Tremor (ET) and/or Parkinson Tremor AND
- 2. When all of the following are met:
 - Diagnosis of ET is based on postural or kinetic tremors of hand(s) without other neurologic signs, or diagnosis of idiopathic PD (presence of at least two cardinal PD features (tremor, rigidity or bradykinesia) which is of a tremor-dominant form.
 - Marked disabling tremor of at least level 3 or 4 on the Fahn-Tolosa-Marin Clinical Tremor Rating Scale (or equivalent scale) in the extremity intended for treatment, causing significant limitation in daily activities despite optimal medical therapy.



Policy Number: MP.108.MPC Last Review Date: 08/26/2021 Effective Date: 10/01/2021

Subthalamic Nucleus (STN) or Globus Pallidus Interna (GPi) DBS, Unilateral or Bilateral is considered medically necessary:

- For the treatment of Parkinson Disease (PD) AND
- 2. When all of the following are met:
 - Diagnosis of PD is based on the presence of at least two cardinal PD features (tremor, rigidity or bradykinesia).
 - Advanced idiopathic PD as determined by the use of Hoehn and Yahr stage, or Unified Parkinson's Disease Rating Scale (UPDRS) part III motor subscale.
 - L-dopa responsive with clearly defined "on" periods.
 - Persistent disabling Parkinson's symptoms or drug side effects (e.g., dyskinesias, motor fluctuations, or disabling "off" periods) are present despite optimal medical therapy.

B. Dorsal Column (Spinal Cord) Neurostimulators (DCS) for Chronic Intractable Pain – for ALL of the following

- 1. The device is Food and Drug Administration (FDA) approved devices for DCS, or the device is used in accordance with FDA approved protocols governing Category B Investigational Device Exemption (IDE) DCS clinical trials.
- 2. The implantation of the stimulator is used only as a late resort (if not last resort) for members with chronic intractable pain.
- 3. Other treatment modalities (pharmacological, surgical, physical, and/or psychological therapies) have been tried and failed or are unsuitable or contraindicated for the member.
- 4. The member has undergone careful screening, evaluation and diagnosis by a multidisciplinary team prior to implantation screening must include psychological and physical evaluation.
- 5. The member is willing and able to cooperate during conscious operative procedure, as well as during post-surgical evaluations, adjustments of medications and stimulator settings.
- 6. A temporary stimulator trial has preceded permanent implantation and demonstrates significant pain reduction (50% or more).
 Note: The indications for a trial stimulator are the same as for permanent implantation, and trial period may be extended up to four weeks.
- 7. All the facilities, equipment, professional and support personnel required for the proper diagnosis, treatment training, and follow up of the member are available.

Specific Coverage Criteria



Policy Number: MP.108.MPC Last Review Date: 08/26/2021 Effective Date: 10/01/2021

DCS is considered medically necessary for the **treatment of intractable pain** caused by any of the following:

- 1. Post-surgical or post traumatic nerve root injuries, including post laminectomy syndrome
- 2. Lumbosacral arachnoiditis that has not responded to medical management including physical therapy
 - Note: Lumbosacral arachnoiditis is usually documented by the presence of high levels of protein in the cerebral spinal fluid (CSF) and/or by magnetic resonance imaging (MRI) or myelography
- 3. Complex regional pain syndrome I & II
- 4. Phantom limb syndrome that has not responded to medical management or injection therapy
- 5. End stage peripheral vascular disease when the member cannot undergo revascularization or when revascularization has failed to relieve painful symptoms and the pain has not responded to medical management
- 6. Post-herpetic neuralgia
- 7. Plexopathy
- 8. Intercostal neuralgia that has not responded to nerve blocks and medical management
- 9. Cauda equina injury
- 10. Incomplete spinal cord injury
- 11. Chronic intractable pain in a patient who is a poor surgical candidate due to comorbidities and/or age

Limitations

Deep Brain Neurostimulators (DBS)

- 1. DBS is not reasonable and necessary and is not covered for ET or PD members with any of the following:
 - Non-idiopathic Parkinson's disease or "Parkinson's Plus" syndromes
 - Cognitive impairment, dementia or depression, which would be worsened by or would interfere with the member's ability to benefit from DBS
 - Current psychosis, alcohol abuse or other drug abuse
 - Structural lesions such as basal ganglionic stroke, tumor or vascular malformation as etiology of the movement disorder
 - Previous movement disorder surgery within the affected basal ganglion
 - Significant medical, surgical, neurologic or orthopedic co-morbidities contraindicating DBS surgery or stimulation



Policy Number: MP.108.MPC Last Review Date: 08/26/2021 Effective Date: 10/01/2021

Precautions:

- Members who undergo DBS implantation should not be exposed to diathermy (deep heat treatment including shortwave diathermy, microwave diathermy and ultrasound diathermy) or any type of MRI, which may adversely affect the DBS system or adversely affect the brain around the implanted electrodes.
- DBS should be performed with extreme caution in members with cardiac pacemakers or other electronically controlled implants, which may adversely affect or be affected by the DBS system
- 3. Physicians specializing in movement disorders must be involved in both patient selections and post-procedure care.
- 4. The neurosurgeon performing the procedure must be:
 - a) Properly trained;
 - b) Have experience performing stereotactic neurosurgical procedures, and surgical management of movement disorders, including DBS therapy;
 - c) Have experience performing stereotactic neurosurgical procedures
- 5. Hospitals medical centers need to have:
 - a) Brain imaging equipment (MRI and/or CT) for pre-operative stereotactic localization and targeting of the surgical site(s);
 - b) Operating rooms with all necessary equipment for stereotactic surgery; and;
 - c) Support services necessary for care of patients undergoing this procedure and any potential complications arising intraoperatively or postoperatively
 - d) Operative teams with training and experience with DBS systems, including knowledge of anatomical and neurophysiological characteristics for localizing the targeted nucleus, surgical and/or implantation techniques for the DBS system, and operational and functional characteristics of the device

Dorsal Column (Spinal Cord) Neurostimulators (DCS)

- 1. Electronic analysis services are limited to one every 30 days
- Generally the dorsal column neurostimulation procedure is limited to neurosurgeons, orthopedic surgeons, and anesthesiologists specializing in pain management.
 Professional competency of the physician to perform DCS must be documented and available upon request.



Policy Number: MP.108.MPC Last Review Date: 08/26/2021 Effective Date: 10/01/2021

Background

Deep brain stimulation (DBS) refers to high-frequency electrical stimulation of anatomic regions deep within the brain utilizing neurosurgically implanted electrodes. These DBS electrodes are stereotactically placed within targeted nuclei on one (unilateral) or both (bilateral) sides of the brain. There are currently three targets for DBS -- the thalamic ventralis intermedius nucleus (VIM), subthalamic nucleus (STN) and globus pallidus interna (GPi).

Essential tremor (ET) is a progressive, disabling tremor most often affecting the hands. ET may also affect the head, voice and legs. ET affects more than one million Americans and at least 1% of the adult population over the age of 40. Parkinson's disease (PD) is an age-related progressive neurodegenerative disorder involving the loss of dopaminergic cells in the substantia nigra of the midbrain. The disease is characterized by tremor, rigidity, bradykinesia and progressive postural instability.

Spinal cord stimulation (SCS) involves the electrical stimulation of spinal nerves using electrodes implanted in the epidural space of the spinal column. The goal of SCS is to suppress pain in specific areas for patients with chronic pain, including chronic, refractory, neuropathic pain. SCS are made up of three components: leads/electrodes, a generator/power source, and a programmer/controller.

Hoehn and Yahr stages of Disability:

- Stage I Unilateral involvement only, usually with minimal or no functional impairment.
- Stage II Bilateral or midline involvement, without impairment of balance.
- Stage III First sign of impaired righting reflexes, evident by unsteadiness as
 patient turns or demonstrated when patient is pushed from standing equilibrium
 with the feet together and eyes closed. Functionally, the patient is somewhat
 restricted but is capable of activities of daily living (ADL). Disability is mild to
 moderate.
- Stage IV Fully developed severe disabling disease. The patient is still able to walk and stand unassisted but is markedly incapacitated.
- Stage V Confinement to wheelchair unless aided.

The Unified Parkinson Disease Rating Scale (UPDRS) is a rating tool used to follow the longitudinal course of PD. Its three sections include:

- 1] Mentation, Behavior, Mood:
- 21 ADL:
- 3] Motor Sections



Policy Number: MP.108.MPC Last Review Date: 08/26/2021 Effective Date: 10/01/2021

The scale allows for a total of 199 points, with a score of 0 indicating no disability.

Codes:

Codes:			
CPT Codes / HCPCS Codes / ICD-10 Codes			
Code	Description		
61863	Twist drill, burr hole craniotomy, or craniectomy with stereotactic implantation of neurostimulator electrode array in subcortical site (thalamus, gobus pallidus, Subthalamic nucleus, periventricular, periaqueductal gray) without use of intraoperative microelectrode recording: 1st array		
61864	Twist drill, burr hole craniotomy, or craniectomy with stereotactic implantation of neurostimulator electrode array in subcortical site (thalamus, gobus pallidus, Subthalamic nucleus, periventricular, periaqueductal gray) without use of intraoperative microelectrode recording: each additional array		
61867	Twist drill, burr hole craniotomy, or craniectomy with stereotactic implantation of neurostimulator electrode array in subcortical site (thalamus, gobus pallidus, Subthalamic nucleus, periventricular, periaqueductal gray) with use of intraoperative microelectrode recording: 1st array		
61868	Twist drill, burr hole craniotomy, or craniectomy with stereotactic implantation of neurostimulator electrode array in subcortical site (thalamus, gobus pallidus, Subthalamic nucleus, periventricular, periaqueductal gray) with use of intraoperative microelectrode recording: each additional array		
61885	Insertion or replacement of cranial neurostimulator pulse generator or receiver, direct or inductive coupling; with connection to a single electrode array		
61886	Insertion or replacement of cranial neurostimulator pulse generator or receiver, direct or inductive coupling; with connection to two or more electrode arrays		
Dorsal Colu	Dorsal Column/Spinal Stimulators		
63650	Percutaneous implantation of neurostimulator electrode, epidural		
63655	Laminectomy for implantable neurostimulator electrodes, plate/paddle, epidural		
63685	Insertion or replacement of spinal neurostimulator pulse generator or receiver, direct or inductive coupling		



Other			
C1767	Generator, neurostimulator (implantable), non-rechargeable		
C1778	Lead, neurostimulator (implantable)		
C1816	Receiver and/or transmitter (implantable)		
C1820	Generator, neurostimulator (implantable) with rechargeable battery and charging system		
C1897	Lead, neurostimulator test kit (implantable)		
L8679	Implantable neurostimulator, pulse generator, any type		
L8680	Implantable neurostimulator electrode, each		
L8681	Patient programmer (external) for use with implantable programmable neurostimulator pulse generator, replacement only		
L8682	Implantable neurostimulator radiofrequency receiver		
L8683	Radiofrequency transmitter (external) for use with implantable neurostimulator radiofrequency receiver		
L8685	Implantable neurostimulator pulse generator, single array, rechargeable, includes extension		
L8686	Implantable neurostimulator r pulse generator, single array, non-rechargeable, includes extension		
L8687	Implantable neurostimulator pulse generator, dual array, rechargeable, includes extension		
L8688	Implantable neurostimulator pulse generator, dual array, non-rechargeable, includes extension		
L8695	External recharging system for battery (external) for use with implantable neurostimulator, replacement only		
Electronic	Electronic Analysis (Allow only 1 every 30 days)		
95970	Electronic analysis of implanted neurostimulator pulse generator system, simple or complex brain, spinal cord, or peripheral neurostimulator pulse generator/transmitter without programming		
95971	Electronic analysis of implanted neurostimulator pulse generator system, simple or complex brain, spinal cord, or peripheral neurostimulator pulse generator/transmitter with intraoperative or subsequent programming		



95972	Electronic analysis of implanted neurostimulator pulse generator system, simple or complex brain, spinal cord, or peripheral neurostimulator pulse generator/transmitter with intraoperative or subsequent programming, first hour	
95976	Electronic analysis of implanted neurostimulator pulse generator/transmitter (eg, contact group[s], interleaving, amplitude, pulse width, frequency [Hz], on/off cycling, burst, magnet mode, dose lockout, patient selectable parameters, responsive neurostim	
95977	Electronic analysis of implanted neurostimulator pulse generator/transmitter (eg, contact group[s], interleaving, amplitude, pulse width, frequency [Hz], on/off cycling, burst, magnet mode, dose lockout, patient selectable parameters, responsive neurostim	
ICD-10 Codes for the following Deep Brain Stimulator CPT codes: 61863, 61864, 61867, 61868:		
G20	Parkinson's disease	
G21.8	Other secondary parkinsonism	
G24.1	Genetic torsion dystonia	
G24.3	Spasmodic torticollis	
G24.8	Other dystonia	
G25.0	Essential tremor	
G25.2	Other specified forms of tremor	
ICD-10 Codes for the following Dorsal Column Neurostimulator CPT codes: 63650, 63655, and 63685:		
B02.22	Postherpetic trigeminal neuralgia	
B02.23	Postherpetic polyneuropathy	
B02.29	Other postherpetic nervous system involvement	
G03G03.9	Meningitis due to other and unspecified causes	
G54.6	Phantom limb syndrome with pain	
G54.7	Phantom limb syndrome without pain	
G54.8	Other nerve root and plexus disorders	
G56-G56.92	Mononeuropathies of upper limb	
G57-G57.92	Mononeuropathies of lower limb	



G60-G60.9	Hereditary and idiopathic neuropathy
G90.5- G90.529	Complex regional pain syndrome I (CRPS I)
173-173.9	Other peripheral vascular diseases
M51.04	Intervertebral disc disorders with myelopathy, thoracic region
M51.05	Intervertebral disc disorders with myelopathy, thoracolumbar region
M51.06	Intervertebral disc disorders with myelopathy, lumbar region
M51.24	Other intervertebral disc displacement, thoracic region
M51.25	Other intervertebral disc displacement, thoracolumbar region
M51.26	Other intervertebral disc displacement, lumbar region
M51.27	Other intervertebral disc displacement, lumbosacral region
M51.44	Schmorl's nodes, thoracic region
M51.45	Schmorl's nodes, thoracolumbar region
M51.46	Schmorl's nodes, lumbar region
M51.47	Schmorl's nodes, lumbosacral region
M51.9	Unspecified thoracic, thoracolumbar and lumbosacral intervertebral disc disorder
M54.12	Radiculopathy, cervical region
M54.13	Radiculopathy, cervicothoracic region
M96.1	Postlaminectomy syndrome, not elsewhere classified
S22.0- S22.089	Fracture of thoracic vertebra
S24.1- S24.109	Other and unspecified injuries of thoracic spinal cord
S32.0- S32.059	Fracture of lumbar vertebra
S33.1- S33.14	Subluxation and dislocation of lumbar vertebra
S34.1- S34.139	Other and unspecified injury of lumbar and sacral spinal cord
S34.3	Injury of cauda equina



Policy Number: MP.108.MPC Last Review Date: 08/26/2021 Effective Date: 10/01/2021

References

- 4. Center for Medicare and Medicaid Services Claims Processing Manual: Manualization of Deep Brain Stimulation, Pub 100-04, Transmittal 128. Dated: 03/26/2004. http://www.cms.hhs.gov/transmittals/Downloads/R128CP.pdf
- Center for Medicare and Medicaid Services (CMS). Medicare Claims Processing Manual Chapter 32 – Billing Requirements for Special Services. Reviewed: 06/10/2020 https://www.cms.gov/Regulations-and-guidance/Manuals/downloads/clm104c32.pdf
- Department of Health and Human Services. Agency for Healthcare Research and Quality. (AHRQ). National Guideline Clearinghouse (NGC). Late (complicated) Parkinson's disease. (NGC # 008778). Updated: April 7, 2014. https://onlinelibrary.wiley.com/doi/abs/10.1002/9781444328394.ch15
- Department of Health and Human Services. Agency for Healthcare Research and Quality. (AHRQ). National Guideline Clearinghouse (NGC). Management of patients with refractory angina: Canadian Cardiovascular Society/Canadian Pain Society joint guidelines. (NGC # 009734). Updated: May 9, 2013. https://www.ncbi.nlm.nih.gov/pubmed/22424281



- 8. American College of Cardiology Foundation, American Heart Association, American College of Physicians, American Association of Thoracic Surgery, Preventive Cardiovascular Nurses Association, Society for Cardiovascular Angiography and Interventions, Society of Thoracic Surgeons. 2012 ACCF/AHA/ACP/AATS/PCNA/SCAI/STS Guideline for the Diagnosis and Management of Patients with Stable Ischemic Heart Disease Updated: March 26, 2013. https://www.ncbi.nlm.nih.gov/pubmed/23166210
- 9. Epstein LJ, Palmieri M. Managing chronic pain with spinal cord stimulation. Mt. Sinai J Med. 2012 Jan-Feb;79(1):123-32. doi: 10.1002/msj.21289. http://onlinelibrary.wiley.com/doi/10.1002/msj.21289/pdf
- 10.FDA: Medtronic Activa® Dystonia Therapy- H020007, 4/08/2019. FDA Executive Summary. https://www.fda.gov/media/123724/download
- 11. Hayes Medical Technology Directory. Spinal Cord Stimulation for Relief of Neuropathic Pain. Publication Date: December 21, 2018. Annual Review: April 27, 2020.
- 12. Machado AG, Deogaonkar M, Cooper S. Deep brain stimulation for movement disorders: patient selection and technical options. Cleve Clin J Med. 2012 Jul;79 Suppl 2:S19-24. doi: 10.3949/ccjm.79.s2a.04. https://pubmed.ncbi.nlm.nih.gov/22761265/
- 13. Perlmutter, Joel S. Assessment of Parkinson Disease Manifestations. Unified Parkinson Disease Rating Scale (UPDRS), Hoen and Yahr Staging of Parkinson's Disease and Schwab and England Activities of Daily Living. https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2897716/
- 14. National Institute for Health and Clinical Excellence (NICE), Interventional Procedure Guidance (IPG). Deep brain stimulation for refractory chronic pain syndromes (excluding headache): guidance. (IPG382). Issue Date: March 2011. https://www.nice.org.uk/guidance/ipg382
- 15. Okun MS. Deep-brain stimulation for Parkinson's disease. N Engl J Med. 2012 Oct 18;367(16):1529-38. doi: 10.1056/NEJMct1208070. http://www.ncbi.nlm.nih.gov/pubmed/23075179
- 16. Vatz JB.: Bilateral Deep Brain Stimulation (DBS) Of The Subthalamic Nucleus (STN) Or The Globus Pallidus Interna (GPi) For Treatment Of Advanced Parkinson's Disease. Blue Cross Blue Shield Association. Technology Evaluation Center. January 2002. Pp. 92. Available at:

 http://www.cms.gov/Medicare/Coverage/DeterminationProcess/downloads/id15TA.pdf



Policy Number: MP.108.MPC Last Review Date: 08/26/2021 Effective Date: 10/01/2021

Archived References

- Hayes Medical Technology Director. Deep Brain Stimulation for Parkinson's Disease and Essential Tremor. Annual review October 18, 2008. Archived: November 15, 2009
- Hayes Health Technology Brief. Deep Brain Stimulation for Treatment of Movement Disorders of Multiple Sclerosis. Annual review October 29, 2008. Archived: December 6, 2008

Disclaimer:

Maryland Physicians Care medical payment and prior authorization policies do not constitute medical advice and are not intended to govern or otherwise influence the practice of medicine. The policies constitute only the reimbursement and coverage guidelines of Maryland Physicians Care and its affiliated managed care entities. Coverage for services varies for individual members in accordance with the terms and conditions of applicable Certificates of Coverage, Summary Plan Descriptions, or contracts with governing regulatory agencies.

Maryland Physicians Care reserves the right to review and update the medical payment and prior authorization guidelines in its sole discretion. Notice of such changes, if necessary, shall be provided in accordance with the terms and conditions of provider agreements and any applicable laws or regulations.

These policies are the proprietary information of Maryland Physicians Care. Any sale, copying, or dissemination of said policies is prohibited.

