

MP.115.MPC - Vysis ALLK Break Apart FISH Test

Maryland Physicians Care considers **Genetic Testing, To Guide The Treatment of Lung Cancer** medically necessary for the following indications:

Vysis ALK Break Apart FISH test is indicated only for members who meet the following criteria:

1. Diagnosed advanced or metastatic Non-Small Cell Lung Cancer (NSCLC);
2. Treatment with Crizotinib (Xalkori) or Ceritinib (Zykadia) is being considered

therascreen EGFR RGQ PCR Kit is indicated only for members who meet the following criteria:

1. Diagnosed with advanced or metastatic NSCLC;
2. Treatment with XalkoriAfatinib (Giltrif) or Gefitinib (Iressa) is being considered.

cobas EGFR Mutation Test is indicated only for members who meet the following criteria:

1. Diagnosed with advanced or metastatic NSCLC;
2. Treatment with Erlotinib (Tarceva) is being considered.

Limitations for all testing:

- For in vitro diagnostic use by prescription only ;
- Not generally recommended for patients with NSCLC subtype of squamous cell carcinoma.

Note: All tests must be performed by laboratories/technologists with demonstrated proficiency in that specific technology.

Background

The Vysis ALK Break Apart FISH test (commercially known as Vysis ALK test) is a genetic test that determines the presence of the abnormal ALK (anaplastic lymphoma kinase) gene, which causes cancer development and growth. The Vysis ALK test is an FDA proven companion diagnostic test with Xalkori (Crizotinib) as a treatment for non-small cell lung cancer. Xalkori has proven to effectively block certain proteins (kinases) that are produced by the ALK gene. This abnormal ALK gene is present in certain patients with locally advanced or metastatic non-small cell lung cancer and is typically associated with patients who are non-smokers.

The Vysis ALK Break Apart FISH probe kit (currently manufactured by Abbott Molecular, Inc.) is considered the current standard for detecting ALK rearrangements

MP.115.MPC - Vysis ALLK Break Apart FISH Test

Policy Number: MP.115.MPC

Last Review Date: 05/19/2022

Effective Date: 06/01/2022

via FISH tests in NSCLC tissue specimens. If the test result indicates that the patient's tumor is positive for ALK gene rearrangements, then the patient may benefit from treatment with Xalkori. The clinical interpretation of test results should be evaluated within the context of the patient's medical history and with any other diagnostic test results. Patients with these ALK gene abnormalities tend to be younger, have little or no exposure to tobacco and did not have mutations in KRAS (Kirsten Rat Sarcoma) or EGFR (epidermal growth factor receptor).

National Comprehensive Cancer Network's (NCCN) current guidelines recommend:

- ALK testing for patients with NSCLC subtypes of adenocarcinoma, large cell or NSCLC NOS (not otherwise specified).
- If ALK +, then Xalkori is the recommended treatment option.

The Food and Drug Administration (FDA) defines the cobas® EGFR Mutation Test v2 as a real-time PCR test for the qualitative detection of defined mutations of the epidermal growth factor receptor (EGFR) gene in DNA derived from formalin-fixed paraffin-embedded tumor tissue (FFPET) from non-small cell lung cancer (NSCLC) patients. The test is intended to aid in identifying patients with NSCLC whose tumors have defined EGFR mutations and for whom safety and efficacy of a drug have been established as follows:

- Tarceva® (erlotinib) - Exon 19 deletions and L858R
- Tagrisso® (osimertinib) - T790M

The Food and Drug Administration (FDA) defines the theascreen® EGFR RGQ PCR Kit as a real-time PCR test for the qualitative detection of exon 19 deletions and exon 21 (L858R) substitution mutations of the epidermal growth factor receptor (EGFR) gene in DNA derived from formalin-fixed paraffin-embedded (FFPE) non-small cell lung cancer (NSCLC) tumor tissue. The test is intended to be used to select patients with NSCLC for whom GILOTRIF® (afatinib) or IRESSA® (gefitinib), EGFR tyrosine kinase inhibitors (TKIs), is indicated. Safety and efficacy of GILOTRIF (afatinib) and IRESSA (gefitinib) have not been established in the patients whose tumors have L861Q, G719X, S768I, exon 20 insertions, and T790M mutations, which are also detected by the theascreen EGFR RGQ PCR Kit.

Specimens are processed using the QIAamp® DSP DNA FFPE Tissue Kit for manual sample preparation and the Rotor-Gene Q MDx instrument for automated amplification and detection.

Codes:

CPT Codes / HCPCS Codes / ICD-10 Codes

MP.115.MPC - Vysis ALLK Break Apart FISH Test

Policy Number: MP.115.MPC

Last Review Date: 05/19/2022

Effective Date: 06/01/2022

Code	Description
CPT Codes	
81235	EGFR (epidermal growth factor receptor) (eg, non-small cell lung cancer) gene analysis, common variants (eg, exon 19 LREA deletion, L858R, T790M, G719S, L861Q)
88271	Molecular cytogenetics; DNA probe, each (e.g., FISH)
88274	Molecular cytogenetics; interphase in situ hybridization, analyze 25-99 cells
88291	Cytogenetic and molecular cytogenetics, interpretation and report
88367	Morphometric analysis; in situ hybridization (quantitative or semi-quantitative), using compute-assisted technology
ICD-10 codes covered if selection criteria are met:	
C34.00-C34.92	Malignant neoplasm of bronchus and lung

References

1. Abbott Molecular, Inc. Vysis ALK Break Apart FISH Probe Kit Brochure (AM 0513-26): Let the patient's signal guide the need for therapy. ©2018.
https://www.abbottalk.com/en-us/staticAssets/IVD_ALK_Brochure_en_US.pdf
2. College of American Pathologists (CAP), International Association for the Study of Lung Cancer (IASLC), Association for Molecular Pathology (AMP). Molecular Testing Guideline for Selection of Lung Cancer Patients for EGFR and ALK Tyrosine Kinase Inhibitors. Summary of Recommendations. Issued: 08/07/2013. Available at:
http://www.cap.org/apps/docs/membership/cap_iaslc_amp_summary_of_recommendations.pdf
3. Hayes GTE Report. Vysis CLL FISH Probe Kit (Abbott Molecular Inc.). Published May 26, 2016.
4. FDA News Release. FDA approves Xalkori with companion diagnostic for a type of late- stage lung cancer. Issued: 08/26/2011.
<https://www.prnewswire.com/news-releases/fda-approves-xalkori-with-companion-diagnostic-for-a-type-of-late-stage-lung-cancer-128484413.html>
5. Lindeman NI, Cagle PT, Beasley MB, et al. Molecular Testing Guideline for Selection of Lung Cancer Patients for EGFR and ALK Tyrosine Kinase Inhibitors. Guideline from the College of American Pathologists, International Association for the Study of Lung Cancer, and Association for Molecular Pathology. J Thorac Oncol. 2013 Jul; 8(7): 823-859.
<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4159960/pdf/nihms-624033.pdf>

MP.115.MPC - Vysis ALLK Break Apart FISH Test

Policy Number: MP.115.MPC

Last Review Date: 05/19/2022

Effective Date: 06/01/2022

6. National Comprehensive Cancer Network (NCCN). Clinical Practice Guidelines in Oncology: Non-Small Cell Lung Cancer. Version 4.2014. Published: 06/05/2014. http://www.nccn.org/professionals/physician_gls/pdf/nscl.pdf
7. QIAGEN® Manchester Ltd. : *therascreen*® EGFR RGQ PCR Kit Instructions for Use (Handbook). REF 870121. Draft July 2013. http://www.accessdata.fda.gov/cdrh_docs/pdf12/P120022c.pdf
8. Roche Molecular Systems, Inc. cobas® EGFR Mutation Test – Product Information Insert. Doc. #06356575001-02EN. © 2013 Roche Molecular Systems, Inc. 07/2013. http://www.accessdata.fda.gov/cdrh_docs/pdf12/P120019c.pdf
9. Roche Molecular Diagnostics. cobas® EGFR Mutation Test ©1996-2015 Roche Molecular Systems Inc. Last Updated: 01/2019. Available at: <http://molecular.roche.com/assays/Pages/cobasEGFRMutationTest.aspx>

Archived References:

1. Hayes GTE Report. Anaplastic Lymphoma Kinase (ALK) Gene Rearrangement Testing in Non-Small Cell Lung Cancer (NSCLC). Published: 07/26/2012. Updated: 07/09/2014. Archived: 08/26/201
2. KRAS Sequence Variant Analysis for predicting response to Epidermal Growth Factor Receptor (EGFR) Tyrosine Kinase Inhibitors (TKIs) in the Treatment of Non-Small Cell Lung Cancer (NSCLC). Annual review April 13, 2015. Archived: May 27, 2017.

Disclaimer:

Maryland Physicians Care medical payment and prior authorization policies do not constitute medical advice and are not intended to govern or otherwise influence the practice of medicine. The policies constitute only the reimbursement and coverage guidelines of Maryland Physicians Care and its affiliated managed care entities. Coverage for services varies for individual members in accordance with the terms and conditions of applicable Certificates of Coverage, Summary Plan Descriptions, or contracts with governing regulatory agencies.

Maryland Physicians Care reserves the right to review and update the medical payment and prior authorization guidelines in its sole discretion. Notice of such changes, if necessary, shall be provided in accordance with the terms and conditions of provider agreements and any applicable laws or regulations.

These policies are the proprietary information of Maryland Physicians Care. Any sale, copying, or dissemination of said policies is prohibited.