

RX.PA.015.MPC HYALURONIC ACID DERIVATIVES

The purpose of this policy is to define the prior authorization process for the hyaluronic acid derivatives.

| PREFERRED – PA REQUIRED | NON-PREFERRED – PA REQUIRED | NONFORMULARY SEE CRITERIA BELOW |
|----------------------------|--------------------------------|------------------------------------|
| Single Injection | | |
| Gel-One | Durolane | Synvisc-One |
| | Monovisc | |
| | | |
| Multiple Injections | | |
| Hyalgan | Gelsyn-3 | Orthovisc |
| | Supartz FX | Synvisc |
| | Trivisc | |
| | Visco-3 | |
| | Sodium Hyaluronate | |
| | Genvisc 850 | |
| | Trilon | |
| | Euflexxa | |
| | Hymovis | |

The hyaluronic acid derivatives are subject to the prior authorization process.

PROCEDURE

A. Initial Authorization Criteria:

Must meet all of the criteria listed below:

- **All products:**
 - Must have a diagnosis of mild-to-moderate osteoarthritis or degenerative joint disease of the knee
 - Must have documentation of a previous trial and failure (at least 3 months), contraindication, or intolerance to simple analgesics (such as acetaminophen-containing products)
 - Must have documentation of a previous trial and failure (at least 3 months), contraindication, or intolerance to at least TWO prescription strength non-steroidal anti-inflammatory drugs (NSAIDs)

- Must have documentation of a trial of steroid injections within the past 2 months and aspiration for effusion without success, or have a documented medical reason to not utilize steroid injections
- Must have documentation of a trial and failure of physician-directed exercise or a physical therapy program
- **For non-preferred products:**
 - Must have documentation of a previous trial and failure, contraindication, or intolerance to 2 preferred products (single or multiple injection)
- **For non-formulary products:**
 - Must have documentation of a previous trial and failure, contraindication, or intolerance to ALL preferred and non-preferred products (single or multiple injection)

Note: Documentation MUST include either paid claims OR specific dates of use for medication trials AND/OR chart documentation from the provider noting a contraindication, intolerance, or failure to all pre-requisite medications

B. Must be prescribed at a dose within the manufacturer's dosing guidelines (based on diagnosis, weight, etc) listed in the FDA approved labeling.

C. Hyaluronic acid derivatives will be considered investigational or experimental for any other use and will not be covered.

D. Reauthorization Criteria:

All prior authorization renewals are reviewed on an annual basis to determine the Medical Necessity for continuation of therapy. Authorization may be extended at 1-year intervals based upon meeting the below criteria:

- Must be at least 6 months since the member completed the prior course of treatment with hyaluronic acid derivatives
- Must have at least ONE of the following objective signs of response to previous therapy for at least 6 months or longer:
 - Decreased joint pain and/or stiffness
 - Improvement in standard indices such as WOMAC osteoarthritis index or Lequesne's functional index
 - Improved knee range of motion
 - Decrease in midpatellar knee circumference in millimeters
 - Synovial effusion absent or volume decreased
 - Decrease in the need for intra-articular agents (anesthetics, corticosteroids), knee aspiration, analgesics, or anti-inflammatory

medications for the management of the treated knee(s) following the previous course of hyaluronic acid derivatives that is consistent with pharmacy claims data

- Must have symptoms of osteoarthritis return
- Must have documentation of a **re-trial** and failure (at least 3 months), contraindication, or intolerance to simple analgesics (such as acetaminophen-containing products)
- Must have documentation of a **re-trial** and failure (at least 3 months), contraindication, or intolerance to at least TWO NSAIDs
- Must have documentation of a **re-trial** of steroid injections within the past 2 months and aspiration for effusion without success, or have a documented medical reason not to utilize steroid injections

Limitations:

| Length of Authorization (if above criteria met) | |
|---|-----------------|
| Initial Authorization | Up to 1 year |
| Reauthorization | Same as initial |

If the established criteria are not met, the request is referred to a Medical Director for review.

HCPCS Codes:

| CODE | DESCRIPTION |
|-------|---|
| J7316 | Injection, ocriplasmin, 0.125 mg |
| J7318 | Hyaluronan or derivative, Durolane, for intra-articular injection, 1 mg |
| J7320 | Hyaluronan or derivative, GenVisc 850, for intra-articular injection, 1 mg |
| J7321 | Hyaluronan or derivative, hyalgan or supartz, for intra-articular injection, per dose |
| J7322 | Hyaluronan or derivative, Hymovis, for intra-articular injection, 1 mg |
| J7323 | Hyaluronan or derivative, Euflexxa, for intra-articular injection, per dose |
| J7324 | Hyaluronan or derivative, Orthovisc, for intra-articular injection, per dose |
| J7325 | Hyaluronan or derivative, Synvisc or Synvisc-One, for intra-articular injection, 1 mg |
| J7326 | Hyaluronan or derivative, Gel-One, for intra-articular injection, per dose |
| J7327 | Hyaluronan or derivative, Monovisc, for intra-articular injection, per dose |
| J7328 | Hyaluronan or derivative, GELSYN-3, for intra-articular injection, 0.1 mg |
| J7329 | Hyaluronan or derivative, Trivisc, for intra-articular injection, 1 mg |
| J7332 | Hyaluronan or derivative, Trilon, for intra-articular injection, 1 mg |
| J7333 | Hyaluronan or derivative, Visco-3, for intra-articular injection, per dose |

Hyaluronic Acid Derivatives
POLICY NUMBER: RX.PA.015.MPC
REVISION DATE: 02/2023
PAGE NUMBER: 4 of 4

REVIEW HISTORY

| DESCRIPTION OF REVIEW / REVISION | DATE APPROVED |
|---|----------------|
| <i>Annual review</i> | <i>02/2023</i> |
| <i>Annual review</i> | <i>02/2022</i> |
| <i>Addition of dosing requirements and off-label restrictions</i> | <i>12/2021</i> |
| <i>P&T Review</i> | <i>11/2020</i> |