

RX.PA.041.MPC Nulibry® (fosdenopterin)

PURPOSE

Nulibry® is a cyclic pyranopterin monophosphate (cPMP) indication to reduce the risk of mortality in patients with molybdenum cofactor deficiency (McCD) Type A. Maryland Physicians Care requires Prior Authorization for its use.

Molybdenum Cofactor Deficiency Type A - Approve Nulibry if the member meets **ALL** of the following conditions

A. Initial Therapy:

- a. Must be prescribed by, or in consultation with, a neonatologist, a pediatric neurologist or specialist with expertise in the treatment of inherited metabolic disorders
AND
- b. Clinical documentation for the diagnosis of molybdenum cofactor deficiency type A:
 - i. Genetic testing confirmation of a mutation in the MOCS1 gene
AND
- c. Documentation of clinical and/or biochemical features associated with MoCD Type A
 - i. Seizures
 - ii. Limb/axial hypertonia
 - iii. Low serum uric acid
Normal range:
 - Adult male: 4.0-8.5 mg/dL or 0.24-0.51 mmol/L
 - Adult female: 2.7-7.3 mg/dL or 0.16-0.43 mmol/L
 - Elderly: A slight increase in values may occur
 - Child: 2.5-5.5 mg/dL or 0.12-0.32 mmol/L
 - Newborn: 2.0-6.2 mg/dL
 - iv. Elevated urinary xanthine and hypoxanthine
Normal range:
 - Xanthine: < 40mol/L
 - Hypoxanthine: < 70 mol/L
 - v. Elevated sulfites in urine
Normal range:
 - 7-47 mmol/24 hours
- d. Dose does not exceed 0.9mg/kg once daily

B. Must be prescribed at a dose within the manufacturer's dosing guidelines (based on diagnosis, weight, etc) listed in the FDA approved labeling.

C. Nulibry will be considered investigational or experimental for any other use and will not be covered.

D. Continuation of therapy:

- MPC Renewal:
 - a) Member has a documented clinical response to therapy as stabilization or improvement as determined by the prescriber.
 - b) Prescribed by, or in consultation with, a neonatologist, a pediatric neurologist or specialist with expertise in the treatment of inherited metabolic disorders.
- Non-MPC Renewal:
 - a) Members who have previously been taking Nulibry and are requesting a non-MPC renewal should be considered under criterion A (Initial Therapy)
 - b) Member has not been receiving medication samples for Nulibry; AND
 - c) Provider has a documented clinical response of the member's condition which has stabilized or improved compared to baseline.

Approval Duration:

- A. Initial Therapy: Approve for 6 months
- B. Continuation of Therapy: Approve for 1 year

CPT Code	Description
J3490	Unclassified drugs Single-dose vial of 9.5mg

References:

1. Nulibry® injection [prescribing information]. Boston, MA: Origin Biosciences, Inc.; February 2021.

REVIEW HISTORY

DESCRIPTION OF REVIEW / REVISION	DATE APPROVED
<i>Annual review</i>	<i>02/2023</i>
<i>Selected Revision Addition of MPC vs Non-MPC Renewal Criteria</i>	<i>09/2022</i>
<i>Annual review</i>	<i>02/2022</i>
<i>Addition of dosing requirements and off-label restrictions</i>	<i>12/2021</i>
<i>P&T Review</i>	<i>11/2020</i>