

POLICY NUMBER: RX.PA.020.MPC REVISION DATE: 02/2024 PAGE NUMBER: 1 of 3

# RX.PA.020.MPC Krystexxa® (Pegloticase)

The purpose of this policy is to define the prior authorization process for Krystexxa<sup>®</sup> (pegloticase).

Kyrstexxa<sup>®</sup> (pegloticase) is a uric acid-specific enzyme that is indicated for the treatment of chronic gout in adult patients who are refractory to conventional therapy for chronic gout. Conventional therapies include Uloric<sup>®</sup> (febuxostat) and allopurinol.

The drug, Kyrstexxa<sup>®</sup> (pegloticase), is subject to the prior authorization process.

## PROCEDURE

## A. Initial Authorization Criteria:

Must meet all of the criteria listed below:

- Must be prescribed by or in consultation with a rheumatologist
- Must be age 18 years or older
- Must have a diagnosis of symptomatic chronic gout defined as:
  - Baseline serum uric acid level >8mg/dL
  - At least 3 gout flares in the previous 18 months or a history of at least 1 gout tophus or of gouty arthritis
- Must have an adequate trial of TWO xanthine oxidase inhibitors with an inadequate response at maximum dosing (e.g., allopurinol 800mg/day and Uloric 80mg/day) or intolerance, unless these agents are contraindicated
  - Inadequate response is defined as the inability of these agents to normalize uric acid to less than 6mg/dL with at least 3 months of treatment
- Must not be currently receiving other urate lowering therapies (i.e. allopurinol, febuxostat, probenecid, etc.)
- Must be administered in an unregulated healthcare setting by a healthcare provider who is prepared to treat anaphylaxis
- B. Must be prescribed at a dose within the manufacturer's dosing guidelines (based on diagnosis, weight, etc) listed in the FDA approved labeling.
- C. Kyrstexxa will be considered investigational or experimental for any other use and will not be covered.

### D. <u>Reauthorization Criteria:</u>

All prior authorization renewals are reviewed on an annual basis to determine the



#### Krystexxa<sup>®</sup> (Pegloticase) POLICY NUMBER: RX.PA.020.MPC REVISION DATE: 02/2024 PAGE NUMBER: 2 of 3

Medical Necessity for continuation of therapy. Authorization may be extended at 1-year intervals based upon:

MPC Renewal:

- Chart documentation from the prescriber that the member's condition has improved based upon the prescriber's assessment while on therapy (i.e. reduction of symptoms, reduction of tophi).
- Chart documentation showing that the member's last 2 uric acid levels, prior to Krystexxa infusion, were not greater than 6mg/dL
- Chart documentation showing adherence with every 2-week dosing regimen

## Renewal from Previous Insurer:

- Members who have received prior approval (from insurer other than MPC), or have been receiving medication samples, should be considered under criterion A (Initial Authorization Criteria)
- Provider has documented clinical response of the member's condition which has stabilized or improved based upon the prescriber's assessment (i.e. reduction of symptoms, reduction of tophi)

## Limitations:

Length of Authorization (if above criteria met)		
Initial Authorization	Up to 6 months	
Reauthorization	Up to 1 year	
Quantity Level Limit		
Vial	2 vials per 28 days	

If the established criteria are not met, the request is referred to a Medical Director for review, if required for the plan and level of request.

### HCPCS Code(s):

Code	Description
J2507	Injection, pegloticase, 1 mg

#### REFERENCES

1. Krystexxa [package insert]. Savient Pharmaceuticals: East Brunswick, NJ; September 2010.

### **REVIEW HISTORY**

DESCRIPTION OF REVIEW / REVISION	DATE APPROVED
Annual review	02/2024
Change in Non-MPC renewal to renewal from previous	



#### Krystexxa<sup>®</sup> (Pegloticase) POLICY NUMBER: RX.PA.020.MPC REVISION DATE: 02/2024 PAGE NUMBER: 3 of 3

insurer		
Annual review	02/2023	
Selected Revision Addition of MPC vs Non-MPC Renewal Criteria	08/2022	
Annual review	02/2022	
Addition of dosing requirements and off-label restrictions	12/2021	
P&T Review	11/2020	

