

Fasenra

Patient Inf	ormation:			
Name:				
Member ID):			
Address:				
City, State	, Zip:			
Date of Bir	th:			
Prescribe	r Information:			
Name:				
NPI:				
Phone Nur	mber:			
Fax Numb	er			
Address:				
City, State	, Zip:			
Requested	d Medication			
Rx Name:				
Rx Strengt	h			
Rx Quantit	y:			
Rx Freque	ncy:			
Rx Route	of			
Administra	tion:			
Diagnosis	and ICD Code:			
prescribed a quantities ca Upon receip	medication for you n be provided. Ple t of the complete NA: Please ne	nefit requires that we review certain requests for coverage with the pur patient that requires Prior Authorization before benefit coverage or consider as a complete the following questions then fax this form to the toll-free red form, prescription benefit coverage will be determined based on the that supporting clinical documentation is required.	overage of number lise on the pla	f additiona sted belov an's rules
7]))	lonoclonal Antibo Note: Examples o	of Anti-IL monoclonal antibodies are Nucala, Cinqair, Dupixent taneous injection)]	Yes	No
fo	Vill the patient be or subcutaneous f yes, no further o		Yes	No
	s the patient curre f no, skip to ques	ently receiving Fasenra? tion 10.]	Yes	No

4	Has the patient been receiving medication samples for the requested medication? [If yes, skip to question 10.]	Yes	No
5	Does the patient have a previously approved prior authorization (PA) on file with	Yes	No
	the current plan? [Note: If the patient does NOT have a previously approved PA on file for the requested medication with the current plan, the renewal request will be considered under initial therapy.] [If no, skip to question 9.]		
6	What is the diagnosis or indication? [] Asthma (If checked, go to 7)		
	[] Chronic Obstructive Pulmonary Disease (COPD) (If checked, no further questions)		
	[] Hypereosinophilic Syndrome (HES) (If checked, no further questions)		
	[] Other (If checked, no further questions)		
7	Has the patient been established on therapy for at least 3 months? [If no, skip to question 11.]	Yes	No
8	Has documentation been submitted to confirm that the patient has experienced a clinically significant response, as determined by the provider? ACTION REQUIRED: Submit supporting documentation. [No further questions.]	Yes	No
9	Has documentation been submitted to confirm that the patient has experienced a clinically significant response, as determined by the provider? ACTION REQUIRED: Submit supporting documentation. [If no, no further questions.]	Yes	No
10	What is the diagnosis or indication? [] Asthma (If checked, go to 11)		
	[] Chronic Obstructive Pulmonary Disease (COPD) (If checked, no further questions)		
	[] Hypereosinophilic Syndrome (HES) (If checked, no further questions)		
	[] Other (If checked, no further questions)		
11	Is the patient greater than or equal to 6 years of age? [If no, no further questions.]	Yes	No
12	Is the requested medication prescribed by or in consultation with an allergist, immunologist, or pulmonologist? [If no, no further questions.]	Yes	No

13	Does the patient have a blood eosinophil count of GREATER THAN OR EQUAL TO 150 cells per microliter within the previous 6 weeks or within 6 weeks prior to treatment with any anti-interleukin-5 therapy? [Note: Examples of anti-interleukin-5 therapies include Fasenra, Nucala, Cinqair.] [If no, no further questions.]	Yes	No
14	Has the patient received at least 3 consecutive months of combination therapy with an inhaled corticosteroid? [Note: Examples of inhaled corticosteroids include Aerospan, Alvesco, ArmonAir RespiClick, Arnuity Ellipta, Asmanex Twisthaler/HFA, Flovent Diskus/HFA, Pulmicort Flexhaler, Qvar/Qvar RediHaler, and budesonide suspension for inhalation (Pulmicort Respules, generics)] [If no, skip to question 17.]	Yes	No
15	Has the patient received at least 3 consecutive months of combination therapy with at least ONE additional asthma controller/maintenance medication? [Note: Examples of additional asthma controller/maintenance medications include long-acting beta2- agonists (such as Serevent Diskus); inhaled long-acting muscarinic antagonists (such as Spiriva Respimat); leukotriene receptor antagonists (such as montelukast tablets/granules [Singulair, generics], zafirlukast tablets [Accolate, generics]); theophylline (such as Theo 24, TheoChron ER, generics)] [If yes, skip to question 18.]	Yes	No
16	Has the patient already received anti-interleukin-5 therapy (such as Cinqair, Fasenra, Nucala) used concomitantly with an inhaled corticosteroid for at least 3 consecutive months instead of a trial with one additional asthma controller/maintenance medication? [Note: Examples of inhaled corticosteroids include Aerospan, Alvesco, ArmonAir RespiClick, Arnuity Ellipta, Asmanex Twisthaler/HFA, Flovent Diskus/HFA, Pulmicort Flexhaler, Qvar/Qvar RediHaler, and budesonide suspension for inhalation (Pulmicort Respules, generics)] [If yes, skip to question 18.]	Yes	No
17	Has the patient received at least 3 consecutive months of a combination inhaler containing BOTH an inhaled corticosteroid and a long-acting beta2-agonist instead of receiving therapy with both an inhaled corticosteroid and one additional asthma controller/maintenance medication? [Note: Examples of combination inhaled corticosteroid/long-acting beta2-agonist inhalers include Advair Diskus (generic Wixela Inhub; authorized generics), Advair HFA, AirDuo RespiClick (authorized generics), Breo Ellipta, Dulera, Symbicort.] [If no, no further questions.]	Yes	No
18	Will the requested medication be used in combination with an inhaled corticosteroid (ICS) or inhaled corticosteroid- containing combination inhaler? [If no, no further questions.]	Yes	No
19	Is the patient's asthma uncontrolled as defined by the patient experiencing TWO	Yes	No



	OR MORE asthma exacerbations requiring treatment with systemic corticosteroids in the previous year? [If yes, skip to question 24.]		
20	Is the patient's asthma uncontrolled as defined by the patient experiencing ONE asthma exacerbation requiring hospitalization in the previous year? [If yes, skip to question 24.]	Yes	No
21	Is the patient's asthma uncontrolled as defined by a forced expiratory volume in 1 second (FEV1) LESS THAN 80% predicted? [If yes, skip to question 24.]	Yes	No
22	Is the patient's asthma uncontrolled as defined by a forced expiratory volume in 1 second (FEV1)/forced vital capacity (FVC) LESS THAN 0.80? [If yes, skip to question 24.]	Yes	No
23	Does the patient's asthma worsen upon tapering of oral corticosteroid therapy? [If no, no further questions.]	Yes	No
24	Does the dose of the requested medication exceed the FDA approved label dosing for the indication?	Yes	No

Please document the diagnoses, symptoms, and/or any other information important to this review:

SECTION B: Physician Signature

PHYSICIAN SIGNATURE

DATE

FAX COMPLETED FORM TO: 1-833-896-0656

Disclaimer: An authorization is not a guarantee of payment. Member must be eligible at the time services are rendered. Services must be a covered Health Plan Benefit and medically necessary with prior authorization as per Plan policy and procedures.

Confidentiality: The information contained in this transmission is confidential and may be protected under the Health Insurance Portability and Accountability Act of 1996. If you are not the intended recipient any use, distribution, or copying is strictly prohibited. If you have received this facsimile in error, please notify us immediately and destroy this document.

If you have any questions, call: 1-888-258-8250