

# **PRIOR AUTHORIZATION REQUEST**

## **Orenitram**

Patient In	formation:	<u>Oremtram</u>		
Name:				
Member II	D:			
Address:				
City, State	, Zip:			
Date of Bi	· •			
Prescribe	r Information:			
Name:				
NPI:				
Phone Nu	mber:			
Fax Numb	er			
Address:				
City, State	, Zip:			
	d Medication			
Rx Name:	a wearoution			
Rx Streng	th			
Rx Quantity:				
Rx Frequency:				
Rx Route of				
Administration:				
Diagnosis and ICD Code:				
prescribed a quantities ca Upon receip	medication for your in be provided. Plea of the completed NA: Please no	efit requires that we review certain requests for coverage with the properties patient that requires Prior Authorization before benefit coverage or complete the following questions then fax this form to the toll-free doform, prescription benefit coverage will be determined based to the that supporting clinical documentation is require	overage of number lis on the pla	f additiona sted below an's rules
[] c	hecked, go to 2)	sis or indication? hypertension (PAH) World Health Organization (WHO) Group 1 (If		
L	Outer (II offected, I	io iditiloi questions/		
	Does the patient ha If no, no further que	ve WHO Group 1 PAH? estions.]	Yes	No
	s the medication be bulmonologist?	eing prescribed by, or in consultation with, a cardiologist or a	Yes	No

[If no, no further questions.]

### PRIOR AUTHORIZATION REQUEST

4	Is the patient currently receiving the requested medication? [If yes, skip to question 7.]	Yes	No
5	Is documentation provided to confirm that the patient has had a right heart catheterization? ACTION REQUIRED: Submit supporting documentation. [If no, no further questions.]	Yes	No
6	Did the results of the right heart catheterization confirm the diagnosis of WHO Group 1 PAH? [If yes, skip to question 9.] [If no, no further questions.]	Yes	No
7	Has the patient had a right heart catheterization? [If no, no further questions.]	Yes	No
8	Did the results of the right heart catheterization confirm the diagnosis of WHO Group 1 PAH? [No further questions.]	Yes	No
9	Has the patient tried TWO oral therapies for PAH (or is currently receiving them) from two of the three following different categories (either alone or in combination) each for greater than or equal to 60 days: A) One phosphodiesterase type 5 (PDE5) inhibitor, B) One endothelin receptor antagonist (ERA), or C) Adempas (riociguat tablets)? [NOTE: Examples of PDE5 inhibitors include Revatio (sildenafil tablets and suspension), Adcirca (tadalafil tablets), and Alyq (tadalafil tablets), and examples of ERAs include Tracleer (bosentan tablets), Letairis (ambrisentan tablets [generic]), and Opsumit (macitentan tablets).] [If yes, no further questions.]	Yes	No
10	Is the patient receiving, or has received in the past, one prostacyclin therapy for PAH or a prostacyclin receptor agonist (for example, Uptravi) for PAH? [NOTE: Examples of prostacyclin therapies for PAH include Tyvaso (treprostinil inhalation solution), Ventavis (iloprost inhalation solution), Remodulin (treprostinil injection), and epoprostenol injection (Flolan, Veletri).]	Yes	No

Please document the diagnoses, symptoms, and/or any other information important to this review:



#### PRIOR AUTHORIZATION REQUEST

SECTION B: Physician Signature

PHYSICIAN SIGNATURE

DATE

### **FAX COMPLETED FORM TO: 1-833-896-0656**

**Disclaimer:** An authorization is not a guarantee of payment. Member must be eligible at the time services are rendered. Services must be a covered Health Plan Benefit and medically necessary with prior authorization as per Plan policy and procedures.

**Confidentiality:** The information contained in this transmission is confidential and may be protected under the Health Insurance Portability and Accountability Act of 1996. If you are not the intended recipient any use, distribution, or copying is strictly prohibited. If you have received this facsimile in error, please notify us immediately and destroy this document.