

Xarelto

Patient In	formation:	<u>Xareno</u>		
Name:				
Member II):			
Address:				
City, State	. Zip:			
Date of Bir	•			
Droceribo	r Information:			
Name:	r information:			
NPI:				
Phone Nu	mbor:			
Fax Numb				
Address:	ei ei			
City, State	Zin:			
City, State	, Ζιρ.			
Requeste	d Medication			
Rx Name:				
Rx Strengt	th			
Rx Quantit	ty:			
Rx Freque				
Rx Route				
Administra				
Diagnosis	and ICD Code:			
prescribed a quantities ca Upon receip	medication for your be provided. Please r	nefit requires that we review certain requests for coverage with the properties of t	overage of number lis n the pla	f additiona sted below an's rules
	s the patient curr If no, skip to que	ently receiving the requested medication? stion 10.]	Yes	No
	las the patient b	een receiving medication samples for the requested medication? estion 9.]	Yes	No
ti [i rı u	ne current plan? NOTE: If the pati	· • •	Yes	No

4	What is the diagnosis or indication? [] Atrial fibrillation (or atrial flutter) (If checked, go to 5)		
	[] Coronary artery disease (If checked, go to 5)		
	[] Prevention of deep vein thrombosis in a patient undergoing knee or hip replacement surgery (If checked, no further questions)		
	[] Treatment of first deep vein thrombosis (DVT) or pulmonary embolism (PE) (If checked, go to 5)		
	[] Reduce risk of recurrence of deep vein thrombosis (DVT) or pulmonary embolism (PE) (If checked, go to 5)		
	[] Peripheral Artery Disease (PAD) (If checked, go to 5)		
	[] Thromboprophylaxis in a patient with congenital heart disease (If checked, go to 5)		
	[] Prevention of venous thromboembolism (VTE) in an acutely ill medical patient. Note: This includes post-discharge thromboprophylaxis for a patient hospitalized with coronavirus disease 19 (COVID-19). (If checked, no further questions)		
	[] Treatment or prevention of other thromboembolic-related conditions. Note: Examples of other thromboembolic-related conditions include superficial vein thrombosis, splanchnic vein thrombosis, hepatic vein thrombosis, or prophylaxis of venous thromboembolism in a high-risk patient. (If checked, go to 7)		
	[] Other (If checked, no further questions)		
5	Has the patient been on established therapy for at least 3 months? [If no, skip to question 10.]	Yes	No
6	Does the patient have a Creatinine Clearance (CrCl) GREATER THAN OR EQUAL TO 15 mL/min? [If yes, skip to question 8.] [If no, no further questions.]	Yes	No
7	Has the patient been on established therapy for at least 6 months? [If no, skip to question 10.]	Yes	No
8	Has documentation been submitted to confirm that there is a beneficial clinical response of the patient's condition which has stabilized or improved based upon the prescriber's assessment? ACTION REQUIRED: Submit supporting documentation. [No further questions.]	Yes	No

9	Has documentation been submitted to confirm that there is a beneficial clinical response of the patient's condition which has stabilized or improved based upon the prescriber's assessment? ACTION REQUIRED: Submit supporting documentation. [If no, no further questions.]	Yes	No
10	What is the diagnosis or indication? [] Atrial fibrillation (or atrial flutter) (If checked, go to 11)		
	[] Coronary artery disease (If checked, go to 22)		
	[] Prevention of deep vein thrombosis in a patient undergoing knee or hip replacement surgery (If checked, go to 31)		
	[] Treatment of first deep vein thrombosis (DVT) or pulmonary embolism (PE) (If checked, go to 37)		
	[] Reduce risk of recurrence of deep vein thrombosis (DVT) or pulmonary embolism (PE) (If checked, go to 43)		
	[] Peripheral Artery Disease (PAD) (If checked, go to 48)		
	[] Thromboprophylaxis in a patient with congenital heart disease (If checked, go to 60)		
	[] Prevention of venous thromboembolism (VTE) in an acutely ill medical patient. Note: This includes post-discharge thromboprophylaxis for a patient hospitalized with coronavirus disease 19 (COVID-19). (If checked, go to 65)		
	[] Treatment or prevention of other thromboembolic-related conditions. Note: Examples of other thromboembolic-related conditions include superficial vein thrombosis, splanchnic vein thrombosis, hepatic vein thrombosis, or prophylaxis of venous thromboembolism in a high-risk patient. (If checked, go to 70)		
	[] Other (If checked, no further questions)		
11	Is the patient greater than or equal to 18 year(s) of age? [If no, no further questions.]	Yes	No
12	Does the patient have a documented diagnosis of nonvalvular atrial fibrillation? [If no, no further questions.]	Yes	No
13	Has documentation been submitted to confirm that the patient has previous trial and failure with Eliquis and dabigatran for MORE THAN 30 days unless intolerant or contraindicated? ACTION REQUIRED: Submit supporting documentation. [If no, no further questions.]	Yes	No
14	Does the patient have an active pathological bleed?	Yes	No

	[If yes, no further questions.]		
	[ii yes, no futther questions.]		
15	Does the patient have a CrCl GREATER THAN OR EQUAL TO 15 mL/min? [If no, no further questions.]	Yes	No
16	Does the patient have an artificial heart valve? [If yes, no further questions.]	Yes	No
17	Does the patient have moderate to severe mitral stenosis? [If yes, no further questions.]	Yes	No
18	What is the patient's gender? [] Male (males are defined as individuals with the biological traits of a male, regardless of the individual's gender identity or gender expression) (If checked, go to 19)		
	[] Female (females are defined as individuals with the biological traits of a female, regardless of the individual's gender identity or gender expression) (If checked, go to 20)		
19	Does the prescriber attest that the patient has a moderate to high risk for stroke with a CHA2DS2-VASc score of GREATER THAN OR EQUAL TO 2? [If yes, skip to question 21.] [If no, no further questions.]	Yes	No
20	Does the prescriber attest that the patient has a moderate to high risk for stroke with a CHA2DS2-VASc score of GREATER THAN OR EQUAL TO 3? [If no, no further questions.]	Yes	No
21	Does the requested daily dosage exceed 20mg? [No further questions.]	Yes	No
22	Is the patient greater than or equal to 18 year(s) of age? [If no, no further questions.]	Yes	No
23	Will the patient be taking concomitant aspirin at least 75mg daily? [If no, no further questions.]	Yes	No
24	Has documentation been submitted to confirm that the patient has atherosclerosis or revascularization involving 2 vascular beds? ACTION REQUIRED: Submit supporting documentation. [If no, no further questions.]	Yes	No
25	Does the patient have 2 or more of the following: A) Current smoker (within the last year); (B) Diabetes mellitus; C) Heart failure; D) Non-lacunar ischemic stroke at least 30 days ago; E) Renal impairment (CrCl LESS THAN 60 mL/min)? [If no, no further questions.]	Yes	No

26	Does the provider attest that the patient has not had a recent non-lacunar stroke within 30 days of starting therapy? [If no, no further questions.]	Yes	No
27	Does the provider attest that the patient does not have a history of hemorrhagic or lacunar stroke? [If no, no further questions.]	Yes	No
28	Does the provider attest that the patient does not require dual antiplatelet in combination with anticoagulants therapy? [If no, no further questions.]	Yes	No
29	Does the provider attest that the patient has a CrCl GREATER THAN OR EQUAL TO 15 mL/min? [If no, no further questions.]	Yes	No
30	Does the requested daily dosage exceed 10mg? [No further questions.]	Yes	No
31	Is the patient greater than or equal to 18 year(s) of age? [If no, no further questions.]	Yes	No
32	Does the provider attest that the patient has a scheduled hip or knee replacement surgery? If yes, please provide the date of the patient's procedure:	Yes	No
	[If no, no further questions.]		
33	Has documentation been submitted to confirm that the patient has previous trial and failure with Eliquis and dabigatran unless intolerant or contraindicated? ACTION REQUIRED: Submit supporting documentation. [If no, no further questions.]	Yes	No
34	Does the patient have a CrCl GREATER THAN OR EQUAL TO 15 mL/min? [If no, no further questions.]	Yes	No
35	Does the daily dosage exceed 10mg? [If yes, no further questions.]	Yes	No
36	Is the request for DVT prevention in knee surgery or hip replacement surgery? [] Knee surgery (If checked, no further questions)		
	[] Hip replacement surgery (If checked, no further questions)		
37	Is the patient greater than or equal to 18 year(s) of age? [If no, no further questions.]	Yes	No
38	Does the patient have a new documented diagnosis of deep vein thrombosis or pulmonary embolism?	Yes	No

	[If no, no further questions.]		
39	Has documentation been submitted to confirm that the patient has a treatment failure with Eliquis and dabigatran for MORE THAN 30 days unless intolerant or contraindicated? ACTION REQUIRED: Submit supporting documentation. [If no, no further questions.]	Yes	No
40	Does the patient have a CrCl GREATER THAN OR EQUAL TO 15 mL/min? [If no, no further questions.]	Yes	No
41	Does the patient have an active pathological bleed? [If yes, no further questions.]	Yes	No
42	Does the requested daily dosage exceed 20mg? [No further questions.]	Yes	No
43	Does the provider attest that the patient has experienced another/recurrent DVT/PE? [If yes, skip to question 45.]	Yes	No
44	Does the provider attest that the patient has a high-risk recurrence factor or diagnosis? If yes, please provide the patient's diagnosis and/or risk factor: [If no, no further questions.]	Yes	No
45	Has documentation been submitted to confirm that the patient has trial and failure with Eliquis and dabigatran unless intolerant or contraindicated? ACTION REQUIRED: Submit supporting documentation. [If no, no further questions.]	Yes	No
46	Does the patient have a CrCl GREATER THAN OR EQUAL TO 15 mL/min? [If no, no further questions.]	Yes	No
47	Does the requested daily dosage exceed 10mg? [No further questions.]	Yes	No
48	Is the patient greater than or equal to 18 year(s) of age? [If no, no further questions.]	Yes	No
49	Does the provider attest that the patient has a history or moderate to severe PAD? [If no, no further questions.]	Yes	No
50	Does the patient have a history of a successful peripheral surgical procedure and/or endovascular procedure with or without clopidogrel used for a maximum of 6 months? [If no, no further questions.]	Yes	No

51	Does the patient have a prior history of limb revascularization? [If no, skip to question 53.]	Yes	No
52	Does the patient have a post-revascularization ankle brachial index LESS THAN OR EQUAL TO 0.85? [If yes, skip to question 54.] [If no, no further questions.]	Yes	No
53	Does the patient have an ankle brachial index LESS THAN OR EQUAL TO 0.80? [If no, no further questions.]	Yes	No
54	Does the provider attest that the patient does not require GREATER THAN 6 months of dual antiplatelet therapy? [If no, no further questions.]	Yes	No
55	Does the provider attest that the patient does not require additional antiplatelet therapy or oral anticoagulants? [If no, no further questions.]	Yes	No
56	Does the provider attest that the patient does not have a history of Transient Ischemic Attacks (TIA), stroke, or intracranial hemorrhage? [If no, no further questions.]	Yes	No
57	Does the patient have a CrCl GREATER THAN OR EQUAL TO 15 mL/min? [If no, no further questions.]	Yes	No
58	Will the patient be taking concomitant aspirin at least 75 mg daily? [If no, no further questions.]	Yes	No
59	Does the requested daily dosage exceed 5mg? [No further questions.]	Yes	No
60	How old is the patient? [] Greater than or equal to 2 years of age and Less than 18 years of age (If checked, go to 61)		
	[] Other (If checked, no further questions)		
61	Has documentation been submitted to confirm that the patient has undergone the Fontan procedure? ACTION REQUIRED: Submit supporting documentation. [If no, no further questions.]	Yes	No
62	What drug is being requested? [] Xarelto TABLET, Xarelto TABLET, DOSE PACK (If checked, no further questions)	Yes	No
	[] Xarelto SUSPENSION, RECONSTITUTED, ORAL (ML) (If checked, go to 63)		
63	Is the patient unable to have Xarelto tablets appropriately administered?	Yes	No

	[If yes, no further questions.]		
64	Can the prescribed Xarelto dose be achieved by Xarelto 2.5mg, 10 mg, 15 mg, or 20 mg tablets? [No further questions.]	Yes	No
65	Is the patient greater than or equal to 18 year(s) of age? [If no, no further questions.]	Yes	No
66	Does the provider attest that the patient is at risk for VTE when the patient experiences prolonged immobilization? [If yes, skip to question 68.]	Yes	No
67	Does the provider attest that the patient is at risk for VTE with a history of ONE or more of the following: A) Cancer, B) VTE, C) Heart failure, D) Thrombophilia, E) Acute infectious disease, F) Body Mass Index (BMI) GREATER THAN OR EQUAL TO 35 kg/m2? [If no, no further questions.]	Yes	No
68	Was the patient hospitalized for at least ONE of the following: A) Heart failure, B) Active cancer, C) Acute ischemic stroke, D) Acute infectious disease, E) Inflammatory disease, F) Acute respiratory insufficiency? [If no, no further questions.]	Yes	No
69	Does the patient have a CrCl GREATER THAN OR EQUAL TO 15 mL/min? [No further questions.]	Yes	No
70	Is the patient greater than or equal to 18 year(s) of age? [If no, no further questions.]	Yes	No
71	Has documentation been submitted to confirm that the patient had a previous trial and failure with Eliquis and dabigatran unless intolerant or contraindicated? ACTION REQUIRED: Submit supporting documentation. [If no, no further questions.]	Yes	No
72	Does the patient have a CrCl GREATER THAN OR EQUAL TO 15 mL/min?	Yes	No

Please document the diagnoses, symptoms, and/or any other information important to this review:



SECTION B: Physician Signature

PHYSICIAN SIGNATURE

DATE

FAX COMPLETED FORM TO: 1-833-896-0656

Disclaimer: An authorization is not a guarantee of payment. Member must be eligible at the time services are rendered. Services must be a covered Health Plan Benefit and medically necessary with prior authorization as per Plan policy and procedures.

Confidentiality: The information contained in this transmission is confidential and may be protected under the Health Insurance Portability and Accountability Act of 1996. If you are not the intended recipient any use, distribution, or copying is strictly prohibited. If you have received this facsimile in error, please notify us immediately and destroy this document.