

Policy Number: MP.038.MPC Last Review Date: 02/20/2025 Effective Date: 03/01/2025

## MP.038.MPC Septoplasty-Rhinoplasty

Maryland Physicians Care considers **Septoplasty-Rhinoplasty** medically necessary for the following indications:

# Indications for <u>Septoplasty (Adults and Pediatric (any age))</u> include any one of the following:

- 1. Obstruction of the nasal airway due to septal deviation (1,2):
  - That has failed to respond to conservative medical management over a four week period
- 2. Documented recurrent sinusitis from a deviated septum (1,2):
  - That does not resolve after appropriate medical and antibiotic therapy
- 3. Recurrent epistaxis related to a septal deformity (1,2)
- 4. Asymptomatic septal deformity (1,2):
  - That prevents access to other intranasal areas when required to perform medically necessary surgical procedures (e.g., ethmoidectomy)
- 5. In association with cleft lip/palate repair (3)
- 6. Nasal septum trauma (e.g., a significant tear or dislocation of the septum) (1,2)
- 7. Obstructed nasal breathing (1,2):
  - Due to septal deformity/deviation that is unresponsive to medical management and is interfering with the effective use of Continuous Positive Airway Pressure (CPAP) for the treatment of an obstructive sleep apnea disorder

## Indications for Rhinoplasty include any of the following (4):

- 1. Correct functional breathing impairment of the nose caused by:
  - Congenital defects
  - Developmental abnormalities
  - Trauma
  - Infection
  - Tumors
  - Disease
- Correct significant deformities (result from documented):
  - Nasal trauma
    - Acquired or iatrogenic (e.g., nasal deformity following an accidental injury or following cancer surgery)
- 3. Correct congenital defects of the nose including:
  - Nasal deformities associated cleft lip and/or cleft palate



## MP.038.MPC Septoplasty-Rhinoplasty

Policy Number: MP.038.MPC Last Review Date: 02/20/2025 Effective Date: 03/01/2025

#### Limitations

- 1. Cosmetic procedures that are not considered medically necessary are <u>not</u> a covered benefit.
- 2. When two surgical procedures (one reconstructive and one cosmetic) are performed on the nose during the same operative session, only the reconstructive portion of the surgery is covered.
- 3. Laser-assisted septoplasty is considered investigative and therefore not medically necessary.

#### Codes

CDT Codes / U	2D00 Cadaa / IOD 40 Cadaa		
CPT Codes / HCPCS Codes / ICD-10 Codes			
Code	Description		
CPT codes:			
30400	Rhinoplasty, primary; lateral and alar cartilages and/or elevation of nasal tip		
30410	Rhinoplasty, primary; lateral and alar cartilages and/or elevation of nasal tip; complete, external parts including bony pyramid, lateral and alar cartilages, and/or elevation of nasal tip		
30420	Rhinoplasty: primary; including major septal repair		
30430	Rhinoplasty secondary; minor revision (small amount of nasal tip work)		
30435	Rhinoplasty secondary; intermediate revision (bony work with osteotomies)		
30450	Rhinoplasty, secondary; major revision (nasal tip work and osteotomies)		
30460	Rhinoplasty: for nasal deformity secondary to congenital cleft lip and/or palate, including columellar lengthening; tip only		
30462	Rhinoplasty: for nasal deformity secondary to congenital cleft lip and/or palate, including columellar lengthening; tip, septum, osteotomies		
30465	Repair of nasal vestibular stenosis (e.g., spreader grafting lateral nasal wall reconstruction)		
30520	Septoplasty or submucous resection, with or without cartilage scoring, contouring or replacement with graft		
30620	Septal or other intranasal dermatoplasty (does not include obtaining graft)		
ICD-10 codes c	ICD-10 codes covered if selection criteria are met:		



## MP.038.MPC Septoplasty-Rhinoplasty

Policy Number: MP.038.MPC Last Review Date: 02/20/2025 Effective Date: 03/01/2025

J32.0	Chronic maxillary sinusitis
J32.2	Chronic ethmoidal sinusitis
J32.4	Chronic pansinusitis
J32.8	Other chronic sinusitis
J32.9	Chronic sinusitis, unspecified
J34.0	Abscess, furuncle and carbuncle of nose
J34.1	Cyst and mucocele of nose and nasal sinus
J34.2	Deviated nasal septum
J34.3	Hypertrophy of nasal turbinates
J34.89	Other disease of the nose and nasal sinuses
M95.0	Acquired nasal deformity
Q30.0	Choanal atresia
Q30.1	Agenesis and underdevelopment of nose
Q30.2	Fissured, notched and cleft nose
Q30.8	Other congenital malformations of nose
Q35.1-Q35.9	Cleft palate
Q37.0-Q37.9	Cleft palate with cleft lip
Q67.0-Q67.4	Congenital musculoskeletal deformities of head and face
Q67.4	Other congenital deformities of skull, face and jaw
R04.0	Epistaxis
S02.2XXA	Fracture of nasal bones, initial encounter for closed fracture
S02.8XXS	Fractures of other specified skull and facial bones, sequela
S02.92XS	Unspecified fracture of facial bones

#### References

- Watters C, Brar S, Yapa S. Septoplasty [Updated 2022 Nov 8]. Stat Pearls Publishing. 2022; Accessed: 01/24/2025. https://www.ncbi.nlm.nih.gov/books/NBK567718
- 2. Han, J. K., Stringer, S. P., Rosenfeld, R. M., Archer, S. M., Baker, D. P., Brown, S. M., Edelstein, D. R., Gray, S. T., Lian, T. S., Ross, E. J., Seiden, A. M., Setzen, M., Tollefson, T. T., Ward, P. D., Welch, K. C., Wise, S. K., & Nnacheta, L. C. (2015). Clinical Consensus Statement: Septoplasty with or without Inferior



### MP.038.MPC Septoplasty-Rhinoplasty

Policy Number: MP.038.MPC Last Review Date: 02/20/2025 Effective Date: 03/01/2025

Turbinate Reduction. Otolaryngology - Head and Neck Surgery (United States), 153(5), 708–720.

https://doi.org/10.1177/0194599815606435

- 3. Lam, T., Munns, C., Fell, M., & Chong, D. (2024). Septoplasty During Primary Cleft Lip Reconstruction: A Historical Perspective and Scoping Review. The Journal of Craniofacial Surgery, 35(7), 1985–1989. https://doi.org/10.1097/SCS.000000000010454
- Ishii, L. E., Tollefson, T. T., Basura, G. J., Rosenfeld, R. M., Abramson, P. J., Chaiet, S. R., Davis, K. S., Doghramji, K., Farrior, E. H., Finestone, S. A., Ishman, S. L., Murphy, R. X., Park, J. G., Setzen, M., Strike, D. J., Walsh, S. A., Warner, J. P., & Nnacheta, L. C. (2017). Clinical Practice Guideline: Improving Nasal Form and Function after Rhinoplasty. In Otolaryngology - Head and Neck Surgery (United States) (Vol. 156, Issue 2\_suppl, pp. S1–S30). SAGE Publications Inc.

https://doi.org/10.1177/0194599816683153

#### **Disclaimer**

Maryland Physicians Care medical payment and prior authorization policies do not constitute medical advice and are not intended to govern or otherwise influence the practice of medicine. The policies constitute only the reimbursement and coverage guidelines of Maryland Physicians Care and its affiliated managed care entities. Coverage for services varies for individual members in accordance with the terms and conditions of applicable Certificates of Coverage, Summary Plan Descriptions, or contracts with governing regulatory agencies.

Maryland Physicians Care reserves the right to review and update the medical payment and prior authorization guidelines in its sole discretion. Notice of such changes, if necessary, shall be provided in accordance with the terms and conditions of provider agreements and any applicable laws or regulations.

These policies are the proprietary information of Maryland Physicians Care. Any sale, copying, or dissemination of said policies is prohibited.

