

Rinvoq

Patient Information:

Name:

Member ID:				
Address:				
City, State, Zip:				
Date of Birth:				
Prescriber Inform	mation:			1
Name:				
NPI:				
Phone Number:				
Fax Number				
Address:				
City, State, Zip:				
Requested Medic	cation			
Rx Name:				
Rx Strength				
Rx Quantity:				
Rx Frequency:				
Rx Route of				
Administration:				
Diagnosis and ICE) Code:			
prescribed a medicate quantities can be proupon receipt of the SECTION A: Prequests. Pharm medications that	tion for your pyided. Plea e complete lease no macy pri at are no	efit requires that we review certain requests for coverage with the properties prior Authorization before benefit coverage or consecutive the following questions then fax this form to the toll-free form, prescription benefit coverage will be determined based of the that supporting clinical documentation is required or authorization reviews can be subject to trial with the trial within the criteria. The policies are subject to trial with the trial with the criteria and updates to treatment quickles.	overage of number list on the pla d for AL addition o chang	additional ted below. in's rules. L PA nal ie based
synthetic [Note: Ex products etanerce Kineret, 0 biosimila Stelara (c disease national control con	medication be used in combination with a biologic or targeted nodifying antirheumatic drugs (DMARDS)? biologics include but are not limited to adalimumab SC piosimilars), Actemra (IV or SC), Cimzia, Cosentyx, an duct (for example, Enbrel, biosimilars), Ilumya, Skyrizi, Kevzara, V or SC), infliximab IV products (for example, Remicade, ab IV products (for example, Rituxan, biosimilars), Siliq, Taltz, Tremfya, Entyvio, or Simponi (Aria or SC). Examples of DMARD include but are not limited to Olumiant, Otezla, Rinvoq	Yes	No
		If you have any		

If you have any questions, call: 1-888-258-8250

Version 11.2025

	or Xeljanz/XR.] [If yes, no further questions.]		
2	Will the requested medication be used in combination with a biologic immunomodulator? [Note: Examples of biologic immunomodulators include Adbry, Cinqair, Dupixent, Fasenra, Nucala, Tezspire, and Xolair.] [If yes, no further questions.]	Yes	No
3	Will the requested medication be used in combination with other Janus Kinase Inhibitors (JAKis)? [Note: Examples of JAKis include but are not limited to Cibinqo, Xeljanz/XR, and Olumiant.] [If yes, no further questions.]	Yes	No
4	Will the requested medication be used in combination with other potent immunosuppressants (for example, azathioprine, or cyclosporine)? [Note: This does not include the use of requested medication with methotrexate.] [If yes, no further questions.]	Yes	No
5	Is the patient currently receiving the requested medication? [If no, skip to question 10.]	Yes	No
6	Has the patient been receiving medication samples for the requested medication? [If yes, skip to question 10.]	Yes	No
7	Does the patient have a previously approved prior authorization (PA) on file with the current plan? [Note: If the patient does NOT have a previously approved PA on file for the requested medication with the current plan, the renewal request will be considered under initial therapy.] [If no, skip to question 10.]	Yes	No
8	Has the patient been established on therapy for at least 3 months? [If no, skip to question 10.]	Yes	No
9	Has documentation been submitted to confirm that the patient has had a clinically significant response to therapy, as determined by the provider? ACTION REQUIRED: Submit supporting documentation. [No further questions.]	Yes	No
10	What is the diagnosis or indication? [] Ankylosing spondylitis (If checked, go to 11)		
	[] Atopic dermatitis (If checked, go to 17)		
	[] Psoriatic arthritis (If checked, go to 26)		
	[] Rheumatoid arthritis (If checked, go to 34)		

	[] Ulcerative colitis (If checked, go to 41)		
	[] Non-radiographic axial spondyloarthritis (If checked, go to 52)		
	[] Crohn's disease (If checked, go to 58)		
	[] Polyarticular juvenile idiopathic arthritis (If checked, go to 65)		
	[] Giant Cell Arteritis (If checked, go to 73)		
	[] COVID-19 (Coronavirus Disease 2019) [Note: This includes requests for cytokine release syndrome associated with COVID-19.] (If checked, no further questions)		
	[] Other (If checked, no further questions)		
11	Is the patient greater than or equal to 18 years of age? [If no, no further questions.]	Yes	No
12	Does the patient have a documented diagnosis of active ankylosing spondylitis? ACTION REQUIRED: Submit supporting documentation. [If no, no further questions.]	Yes	No
13	Has documentation been submitted to confirm that the patient has an intolerance, contraindication to, or failed treatment for at least 3 months with preferred TNF inhibitor, an adalimumab product (Hadlima, Simlandi, Yusimry, or adalimumabadbm)? ACTION REQUIRED: Submit supporting documentation. [If no, no further questions.]	Yes	No
14	Has documentation been submitted to confirm that the patient has an intolerance, contraindication to, or failed treatment for at least 3 months with Xeljanz (tofacitinib)? ACTION REQUIRED: Submit supporting documentation. [If no, no further questions.]	Yes	No
15	Is the requested medication being prescribed by or in consultation with a rheumatologist? [If no, no further questions.]	Yes	No
16	Does the requested dose exceed Food and Drug Administration (FDA) approved label dosing for the requested indication? (Dosing: 15 mg orally once daily.) [No further questions.]	Yes	No
17	Is the patient greater than or equal to 12 years of age? [If no, no further questions.]	Yes	No
18	Does the patient have a documented diagnosis of refractory, moderate to severe atopic dermatitis? ACTION REQUIRED: Submit supporting documentation. [If no, no further questions.]	Yes	No

19	Has the patient tried at least TWO traditional systemic therapies for at least 3 months? [Note: Examples of traditional systemic therapies include methotrexate, azathioprine, cyclosporine, and mycophenolate mofetil.] [If yes, skip to question 21.]	Yes	No
20	Has documentation been submitted to confirm that the patient has an intolerance to at least two traditional systemic therapy agents? ACTION REQUIRED: Submit supporting documentation. [Note: Examples of traditional systemic therapies include methotrexate, azathioprine, cyclosporine, and mycophenolate mofetil.] [If no, no further questions.]	Yes	No
21	Does the provider attest that the patient has tried at least two medium-, medium-high, high-, and/or super-high potency prescription topical corticosteroids or is the request to treat the face or eyes/eyelid area? [If no, no further questions.]	Yes	No
22	Does the provider attest that the patient has tried tacrolimus ointment for at least 28 consecutive days and inadequate efficacy was demonstrated? [If no, no further questions.]	Yes	No
23	Has the patient tried Dupixent (dupilumab subcutaneous injection) or Adbry (tralokinumab-ldrm subcutaneous injection)? [If no, no further questions.]	Yes	No
24	Is the requested medication being prescribed by or in consultation with an allergist, immunologist, or dermatologist? [If no, no further questions.]	Yes	No
25	Does the requested dose exceed Food and Drug Administration (FDA) approved label dosing for the requested indication? (Dosing: 15 mg orally once daily.) [No further questions.]	Yes	No
26	Is the patient greater than or equal to 18 years of age? [If no, no further questions.]	Yes	No
27	Has the patient tried at least TWO conventional synthetic disease-modifying antirheumatic drugs (DMARDs) for at least 3 months? [Note: Examples of conventional synthetic DMARDs include methotrexate (oral or injectable), leflunomide, hydroxychloroquine, and sulfasalazine.] [If yes, skip to question 29.]	Yes	No
28	Has documentation been submitted to confirm that the patient has an intolerance to at least two of the DMARD agents? ACTION REQUIRED: Submit supporting documentation. [Note: Examples of conventional synthetic DMARDs include methotrexate (oral or injectable), leflunomide, hydroxychloroquine, and sulfasalazine.] [If no, no further questions.]	Yes	No

29	Has documentation been submitted to confirm that the patient has an intolerance, contraindication to, or failed treatment for at least 3 months with preferred TNF inhibitor, an adalimumab product (Hadlima, Simlandi, Yusimry, or adalimumabadbm)? ACTION REQUIRED: Submit supporting documentation. [If no, no further questions.]	Yes	No
30	Has documentation been submitted to confirm that the patient has had a treatment failure with a preferred ustekinumab product (Yesintek, Pyzchiva, Stegeyma) for at least 3 months or is the patient intolerant or the medication contraindicated? ACTION REQUIRED: Submit support documentation. [If no, no further questions.]	Yes	No
31	Has documentation been submitted to confirm that the patient has an intolerance, contraindication to, or failed treatment for at least 3 months with Xeljanz (tofacitinib)? ACTION REQUIRED: Submit supporting documentation. [If no, no further questions.]	Yes	No
32	Does the requested dose exceed Food and Drug Administration (FDA) approved label dosing for the requested indication? (Dosing: 15 mg orally once daily.) [If yes, no further questions.]	Yes	No
33	Is the requested medication being prescribed by or in consultation with a rheumatologist or dermatologist? [No further questions.]	Yes	No
34	Is the patient greater than or equal to 18 years of age? [If no, no further questions.]	Yes	No
35	Has the patient tried at least TWO conventional synthetic disease-modifying antirheumatic drugs (DMARDs) for at least 3 months? [Note: Examples of conventional synthetic DMARDs include methotrexate (oral or injectable), leflunomide, hydroxychloroquine, and sulfasalazine.] [If yes, skip to question 37.]	Yes	No
36	Has documentation been submitted to confirm that the patient has an intolerance to at least TWO of the DMARD agents? ACTION REQUIRED: Submit supporting documentation. [Note: Examples of conventional synthetic DMARDs include methotrexate (oral or injectable), leflunomide, hydroxychloroquine, and sulfasalazine.] [If no, no further questions.]	Yes	No
37	Has documentation been submitted to confirm that the patient has an intolerance, contraindication to, or failed treatment for at least 3 months with preferred TNF inhibitor, an adalimumab product (Hadlima, Simlandi, Yusimry, or adalimumabadbm)? ACTION REQUIRED: Submit supporting documentation. [If no, no further questions.]	Yes	No

38	Has documentation been submitted to confirm that the patient has an intolerance, contraindication to, or failed treatment for at least 3 months with Xeljanz (tofacitinib)? ACTION REQUIRED: Submit supporting documentation. [If no, no further questions.]	Yes	No
39	Does the requested dose exceed Food and Drug Administration (FDA) approved label dosing for the requested indication? (Dosing: 15 mg orally once daily.) [If yes, no further questions.]	Yes	No
40	Is the requested medication being prescribed by or in consultation with a rheumatologist or dermatologist? [No further questions.]	Yes	No
41	Is the patient greater than or equal to 18 years of age? [If no, no further questions.]	Yes	No
42	Does the patient have a documented diagnosis of moderately to severely active ulcerative colitis? ACTION REQUIRED: Submit supporting documentation. [If no, no further questions.]	Yes	No
43	Has the patient tried at least TWO traditional systemic therapies for at least 3 months? [Note: Examples include 6-mercaptopurine, azathioprine, cyclosporine, and tacrolimus.] [If yes, skip to question 45.]	Yes	No
44	Has documentation been submitted to confirm that the patient has an intolerance to at least TWO traditional systemic therapy agents? ACTION REQUIRED: Submit supporting documentation. [Note: Examples include 6-mercaptopurine, azathioprine, cyclosporine, or tacrolimus.] [If no, no further questions.]	Yes	No
45	Does the patient have pouchitis? [If no, no further questions.]	Yes	No
46	Has the patient tried therapy with an antibiotic, probiotic, corticosteroid enema, or Rowasa (mesalamine) enema? [Note: Examples of antibiotics include metronidazole and ciprofloxacin. Examples of corticosteroid enemas include hydrocortisone enema (Cortenema, generics).] [If no, no further questions.]	Yes	No
47	Has documentation been submitted to confirm that the patient has had an intolerance, contraindication to, or failed treatment for at least 3 months with the preferred TNF inhibitor, an adalimumab product (Hadlima, Simlandi, Yusimry, or adalimumab-adbm)? ACTION REQUIRED: Submit supporting documentation. [If no, no further questions.]	Yes	No
48	Has documentation been submitted to confirm that the patient has had a treatment	Yes	No

	failure with a preferred ustekinumab product (Yesintek, Pyzchiva, Steqeyma), for at least 3 months or is the patient intolerant or the medication contraindicated? ACTION REQUIRED: Submit supporting documentation. [If no, no further questions.]		
49	Has documentation been submitted to confirm that the patient has an intolerance, contraindication to, or failed treatment for at least 3 months with Xeljanz (tofacitinib)? ACTION REQUIRED: Submit supporting documentation. [If no, no further questions.]	Yes	No
50	Does the requested dose exceed Food and Drug Administration (FDA) approved label dosing for the requested indication? (Dosing: 45 mg orally once daily for 8 weeks and then 15 mg once daily thereafter.) [If yes, no further questions.]	Yes	No
51	Is the requested medication being prescribed by or in consultation with a gastroenterologist? [No further questions.]	Yes	No
52	Does the patient have a documented diagnosis of non-radiographic axial spondyloarthritis? ACTION REQUIRED: Submit supporting documentation. [If no, no further questions.]	Yes	No
53	Does the patient have objective signs of inflammation, defined as C-reactive protein elevated beyond the upper limit of normal for the reporting laboratory? [If yes, skip to question 55.]	Yes	No
54	Does the patient have objective signs of inflammation, defined as sacroiliitis reported on magnetic resonance imaging? [If no, no further questions.]	Yes	No
55	Has documentation been submitted to confirm that the patient has an intolerance, contraindication to, or failed treatment for at least 3 months with preferred TNF inhibitor, an adalimumab product (Hadlima, Simlandi, Yusimry, or adalimumabadbm)? ACTION REQUIRED: Submit supporting documentation. [If no, no further questions.]	Yes	No
56	Does the requested dose exceed Food and Drug Administration (FDA) approved label dosing for the requested indication? (Dosing: 15 mg orally once daily.) [If yes, no further questions.]	Yes	No
57	Is the requested medication being prescribed by or in consultation with a rheumatologist? [No further questions.]	Yes	No
58	Is the patient greater than or equal to 18 years of age? [If no, no further questions.]	Yes	No

59	Has documentation been submitted to confirm that the patient has a diagnosis of moderate to severe Crohn's disease? ACTION REQUIRED: Submit supporting documentation. [If no, no further questions.]	Yes	No
60	Has documentation been submitted to confirm that the patient has an intolerance, contraindication to, or failed treatment for at least 3 months with at least TWO conventional systemic therapies (such as azathioprine, 6-mercaptopurine, or methotrexate)? ACTION REQUIRED: Submit supporting documentation. [If no, no further questions.]	Yes	No
61	Has documentation been submitted to confirm that the patient has had an intolerance, contraindication to, or failed treatment for at least 3 months with the preferred TNF inhibitor, an adalimumab product (Hadlima, Yusimry, Simlandi, or adalimumab-adbm)? ACTION REQUIRED: Submit supporting documentation. [If no, no further questions.]	Yes	No
62	Has documentation been submitted to confirm that the patient has had a treatment failure with a preferred ustekinumab product (Yesintek, Pyzchiva, or Steqeyma) for at least 3 months or is the patient intolerant or the medication contraindicated? ACTION REQUIRED: Submit supporting documentation. [If no, no further questions.]	Yes	No
63	Does the requested dose exceed Food and Drug Administration (FDA) approved label dosing for the requested indication? (Dosing: 45 mg orally once daily for 12 weeks, and then 15 mg orally once daily thereafter.) [If yes, no further questions.]	Yes	No
64	Is the requested medication being prescribed by or in consultation with a gastroenterologist? [No further questions.]	Yes	No
65	Is the patient greater than or equal to 2 years of age? [If no, no further questions.]	Yes	No
66	Has the patient tried ONE other agent for at least 3 months for the patient's condition? [Note: Examples of other agents for JIA include but not limited to methotrexate (MTX), sulfasalazine, or leflunomide.] [If yes, skip to question 68.]	Yes	No
67	Does the patient have an absolute contraindication to methotrexate (MTX), sulfasalazine, or leflunomide? [Note: Examples of contraindications to MTX include pregnancy, breast feeding, alcoholic liver disease, immunodeficiency syndrome, and blood dyscrasias.] [If no, no further questions.]	Yes	No
68	Has documentation been provided to confirm that the patient had an intolerance,	Yes	No

			1
	contraindication to, or failed treatment for at least 3 months with preferred TNF inhibitor, an adalimumab product (Hadlima, Simlandi, Yusimry, or adalimumabadbm)? ACTION REQUIRED: Submit supporting documentation. [If no, no further questions.]		
69	Has documentation been provided to confirm that the patient had an intolerance, contraindication to, or failed treatment for at least 3 months with an Interleukin-6 (IL-6)	Yes	No
	inhibitor (Actemra)? ACTION REQUIRED: Submit supporting documentation. [If no, no further questions.]		
70	Does the patient have aggressive disease, as determined by the prescriber? [If no, no further questions.]	Yes	No
71	Does the requested dose exceed Food and Drug Administration (FDA) approved label dosing for the requested indication? (Dosing: 15 mg orally once daily.) [If yes, no further questions.]	Yes	No
72	Is the requested medication being prescribed by or in consultation with a rheumatologist? [No further questions.]	Yes	No
73	Is the patient greater than or equal to 50 years of age? [If no, no further questions.]	Yes	No
74	Has documentation been submitted to confirm that the patient has a diagnosis of new-onset or relapsing giant cell arteritis? ACTION REQUIRED: Submit supporting documentation. [If no, no further questions.]	Yes	No
75	Has documentation been submitted to confirm an erythrocyte sedimentation rate greater than or equal to 50 mm/hour or high sensitive C-reactive protein greater than or equal to 1 mg/dL? ACTION REQUIRED: Submit supporting documentation. [If no, no further questions.]	Yes	No
76	Has documentation been submitted to support cranial symptoms of giant cell arteritis (GCA) or symptoms of polymyalgia rheumatica (PMR)? ACTION REQUIRED: Submit supporting documentation. [If no, no further questions.]	Yes	No
77	Has the patient had a temporal artery biopsy that confirms features of GCA? ACTION REQUIRED: Submit supporting documentation. [If no, no further questions.]	Yes	No
78	Does the patient have evidence of large vessel vasculitis confirmed by angiography, ultrasound magnetic resonance imaging, computed tomography or positron emission tomography? ACTION REQUIRED: Submit supporting	Yes	No



	documentation. [If no, no further questions.]		
79	Has the patient had treatment with an interleukin-6 (IL-6) inhibitor within 4 weeks? [If no, no further questions.]	Yes	No
80	Has documentation been provided to confirm that the patient had an intolerance, contraindication to, or failed treatment for at least 1 month with high-dose daily corticosteroids (greater than or equal to 40 mg/day)? ACTION REQUIRED: Submit supporting documentation. [If no, no further questions.]	Yes	No
81	Is the patient currently on a tapering dose of corticosteroids (greater than or equal to 20 mg/day)? ACTION REQUIRED: Submit supporting documentation. [If no, no further questions.]	Yes	No
82	Has documentation been provided to confirm that the patient had an intolerance, contraindication to, or failed treatment for at least 3 months with an IL-6 inhibitor (Actemra)? ACTION REQUIRED: Submit supporting documentation. [If no, no further questions.]	Yes	No
83	Does the requested dose exceed Food and Drug Administration (FDA) approved label dosing for the requested indication? (Dosing: 15 mg orally once daily.) [If yes, no further questions.]	Yes	No
84	Is the requested medication being prescribed by or in consultation with a rheumatologist?	Yes	No

Please document the diagnoses, symptoms, and/or any other information important to this review:

SECTION B: Physician Signature

PHYSICIAN SIGNATURE

DATE

FAX COMPLETED FORM TO: 1-833-896-0656

Disclaimer: An authorization is not a guarantee of payment. Member must be eligible at the time services are rendered. Services must be a covered Health Plan Benefit and medically necessary with prior authorization as per Plan policy and procedures.

If you have any questions, call: 1-888-258-8250

Version 11.2025

Confidentiality: The information contained in this transmission is confidential and may be protected under the Health Insurance Portability and Accountability Act of 1996. If you are not the intended recipient any use, distribution, or copying is strictly prohibited. If you have received this facsimile in error, please notify us immediately and destroy this document.