

## **EVH\_MP\_2526.MPC Incontinence, Biofeedback**

Maryland Physicians Care considers **Biofeedback for the treatment of Incontinence** medically necessary for the following indications:

### **Adult (members 18 years age and older)**

Biofeedback is considered medically necessary for the following conditions in cognitively intact members:

- Urinary Incontinence <sup>(1)</sup>
- Fecal incontinence <sup>(2)</sup>
- Constipation, when the member suffers from pelvic floor dyssynergia <sup>(3)</sup>
- Treatment is billed by a practitioner according to their scope of practice for a diagnosis of urinary incontinence or fecal incontinence/constipation
- Potential treatable problems should be identified (e.g., urinary tract infections or prolapse), and treatment implemented prior to biofeedback therapy
- Member has failed a documented trial of an ordered plan of pelvic muscle exercises (PME), designed to increase periurethral muscle strength

### **Pediatric (members between five years of age and 18 years of age) Biofeedback for Dysfunctional Elimination Syndrome <sup>(4)</sup>**

Biofeedback is considered medically necessary for cognitively intact pediatric members when prescribed by a urologist and performed in conjuncture with pelvic muscle/floor training to treat any of the following conditions associated with bladder dysfunction:

- Bladder-sphincter dyssnergia
- Recurrent urinary tract infections when all of the following criteria are met:
  - Physical limitations such as a kidney infection, diabetes, or defects in the urinary system have been ruled out
  - Medications and other conservative measures to address this problem have not reduced or eliminated the issue

### **Limitations**

#### **Limitations in Adults (members 18 years age and older) - Biofeedback for Urinary Incontinence and Fecal Incontinence/Constipation**

- Home use of biofeedback therapy is not covered
- Biofeedback training in a group setting is not covered
- Biofeedback therapy is limited to up to six treatments per six months per condition

Appropriate candidates for biofeedback training include:

- Capable of participating in the treatment plan (physically as well as intellectually)
- Motivated to actively participate in the treatment plan, including being responsive to care requirements

## EVH\_MP\_2526.MPC Incontinence, Biofeedback

Policy Number: EVH\_MP\_2526.MPC

Last Review Date: 05/21/2026

Effective Date: 06/01/2026

### Limitations in the Pediatric Population (members between five years of age and 18 years of age) – Biofeedback for Dysfunctional Elimination Syndrome

Biofeedback therapy should not be a treatment for any of the following conditions/symptoms and will not be covered:

- This is not a treatment option for children under five years of age
- Unusual straining during urination or a small or narrow stream of urine or dripping may be a sign of other physical problems
- Cloudy or pink urine, or bloodstains on underwear or night clothes

Other limitations include:

- Treatment is limited to ten sessions per lifetime
- No coverage provided for the electromyography (EMG) biofeedback device
- Biofeedback therapy for encopresis or constipation in children is considered experimental and investigative

### Codes

CPT Codes / HCPCS Codes / ICD-10 Codes	
Code	Description
<b>CPT Codes {for Adult (members 18 years age and older) Biofeedback for Urinary Incontinence and Fecal Incontinence/ Constipation}:</b>	
90901	Biofeedback training by any modality
90912	Biofeedback training, perineal muscles, anorectal or urethral sphincter, including EMG and/or manometry, when performed; initial 15 minutes of one-on-one physician or other qualified health care professional contact with the patient
90913	Biofeedback training, perineal muscles, anorectal or urethral sphincter, including EMG and/or manometry, when performed; each additional 15 minutes of one-on-one physician or other qualified health care professional contact with the patient (List separately in addition to code for primary procedure)
<b>CPT codes NOT covered:</b>	
90875	Individual psychophysiological therapy incorporating biofeedback training by any modality (face-to-face with the patient), with psychotherapy (eg, insight oriented, behavior modifying or supportive psychotherapy); 30 minutes
90876	Individual psychophysiological therapy incorporating biofeedback training by any modality (face-to-face with the patient), with

## EVH\_MP\_2526.MPC Incontinence, Biofeedback

Policy Number: EVH\_MP\_2526.MPC

Last Review Date: 05/21/2026

Effective Date: 06/01/2026

	psychotherapy (eg, insight oriented, behavior modifying or supportive psychotherapy); 45 minutes
<b>ICD-10 codes covered if selection criteria are met:</b>	
G83.4	Cauda equine syndrome
K59.00	Constipation, unspecified
K59.01	Slow transit constipation
K59.02	Outlet dysfunction constipation
K59.03	Drug induced constipation
K59.04	Chronic idiopathic constipation
K59.09	Other constipation
K59.4	Anal spasm
N31.2	Flaccid neuropathic bladder, not elsewhere classified
N31.9	Neuromuscular dysfunction of bladder, unspecified
N36.42	Intrinsic sphincter deficiency (ISD)
N36.43	Combined hypermobility of urethra and intrinsic sphincter deficiency
N36.44	Muscular disorders of urethra
N36.8	Other specified disorders of urethra
N39.3	Stress incontinence (female) (male)
N39.41	Urge incontinence
N39.42	Incontinence without sensory awareness
N39.43	Post-void dribbling
N39.44	Nocturnal enuresis
N39.45	Continuous leakage
N39.46	Mixed incontinence
N39.490	Overflow incontinence
R15.0	Incomplete defecation
R15.1	Fecal smearing
R15.2	Fecal urgency
R15.9	Full incontinence of feces
R33.0	Drug induced retention of urine
R33.8	Other retention of urine

## EVH\_MP\_2526.MPC Incontinence, Biofeedback

Policy Number: EVH\_MP\_2526.MPC

Last Review Date: 05/21/2026

Effective Date: 06/01/2026

R33.9	Retention of urine, unspecified
R35.0	Frequency of micturition
R39.14	Feeling of incomplete bladder emptying
R39.15	Urgency of urination
<b>CPT Codes {for Pediatric (members between five years of age and 18 years of age) Biofeedback for Dysfunctional Elimination Syndrome}:</b>	
90912	Biofeedback training, perineal muscles, anorectal or urethral sphincter, including EMG and/or manometry, when performed; initial 15 minutes of one-on-one physician or other qualified health care professional contact with the patient
90913	Biofeedback training, perineal muscles, anorectal or urethral sphincter, including EMG and/or manometry, when performed; each additional 15 minutes of one-on-one physician or other qualified health care professional contact with the patient (List separately in addition to code for primary procedure)
<b>ICD-10 codes covered if selection criteria are met:</b>	
N13.70	Vesicoureteral-reflux, unspecified
N13.71	Vesicoureteral-reflux without reflux nephropathy
N13.721	Vesicoureteral-reflux with reflux nephropathy without hydroureter, unilateral
N13.722	Vesicoureteral-reflux with reflux nephropathy without hydroureter, bilateral
N13.729	Vesicoureteral-reflux with reflux nephropathy without hydroureter, unspecified
N13.731	Vesicoureteral-reflux with reflux nephropathy with hydroureter, unilateral
N13.732	Vesicoureteral-reflux with reflux nephropathy with hydroureter, bilateral
N13.739	Vesicoureteral-reflux with reflux nephropathy with hydroureter, unspecified
N32.81	Overactive bladder
N36.41	Hypermobility of urethra
N36.42	Intrinsic sphincter deficiency (ISD)
N36.43	Combined hypermobility of urethra and intrinsic sphincter deficiency
N36.44	Muscular disorders of urethra

## EVH\_MP\_2526.MPC Incontinence, Biofeedback

Policy Number: EVH\_MP\_2526.MPC

Last Review Date: 05/21/2026

Effective Date: 06/01/2026

N39.0	Urinary tract infection, site not specified
N39.44	Nocturnal enuresis

### Policy History

Date	Summary
May 21, 2026	<ul style="list-style-type: none"><li>• This guideline was renumbered from MP.123.MPC Incontinence, Biofeedback</li><li>• Annual Review - Renumbered policy; replaced patient with member throughout; punctuations updates throughout; added example of treatable problem to 5th bullet under Adult; formatting/punctuation updates throughout; updated description of procedure codes 90901, 90912 and ICD-10 codes K59.00, N31.9, N36.43, R15.0, R33.8, N13.70, N36.41; separated out ICD-10 Range Codes K59.00-K59.09, R15.0-R15.9, R33.8-R33.9, N13.70-N13.739 and N36.41-N36.44; added Policy History Log</li></ul>

### References

1. Kopańska M, Torices S, Czech J, Koziara W, Toborek M, Dobrek Ł. Urinary incontinence in women: biofeedback as an innovative treatment method. *Ther Adv Urol*. 2020;12. doi:10.1177/1756287220934359. <https://pubmed.ncbi.nlm.nih.gov/32647538/>
2. Bordeianou LG, Thorsen AJ, Keller DS, et al. The American Society of Colon and Rectal Surgeons' Clinical Practice Guidelines for the Management of Fecal Incontinence. *Dis Colon Rectum*. Published online February 14, 2023:647-661. doi:10.1097/DCR.0000000000002776. <https://mdanderson.elsevierpure.com/en/publications/the-american-society-of-colon-and-rectal-surgeons-clinical-practi-3>
3. Alavi K, Thorsen AJ, Fang SH, et al. The American Society of Colon and Rectal Surgeons Clinical Practice Guidelines for the Evaluation and Management of Chronic Constipation. *Dis Colon Rectum*. 2024;67(10):1244-1257. doi:10.1097/DCR.0000000000003430. <https://pubmed.ncbi.nlm.nih.gov/39250791/>
4. Nepple KG, Cooper CS. Management of bladder dysfunction in children. *UpToDate*. Published online January 22, 2024. <https://www.uptodate.com/contents/management-of-bladder-dysfunction-in-children>

## **EVH\_MP\_2526.MPC Incontinence, Biofeedback**

Policy Number: EVH\_MP\_2526.MPC

Last Review Date: 05/21/2026

Effective Date: 06/01/2026

### **Disclaimer**

Maryland Physicians Care medical payment and prior authorization policies do not constitute medical advice and are not intended to govern or otherwise influence the practice of medicine. The policies constitute only the reimbursement and coverage guidelines of Maryland Physicians Care and its affiliated managed care entities. Coverage for services varies for individual members in accordance with the terms and conditions of applicable Certificates of Coverage, Summary Plan Descriptions, or contracts with governing regulatory agencies.

Maryland Physicians Care reserves the right to review and update the medical payment and prior authorization guidelines in its sole discretion. Notice of such changes, if necessary, shall be provided in accordance with the terms and conditions of provider agreements and any applicable laws or regulations.

These policies are the proprietary information of Maryland Physicians Care. Any sale, copying, or dissemination of said policies is prohibited.